Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LIEUTENANT Calvin C. REED, U.S.N.

Attached to
_____ Division,
SERVICE GROUP PEARL ~~Squadron~~,
_____ Flotilla,
U. S. PACIFIC Fleet,
_____ Naval District,

Commencing +10W 1 May, 1963,
(zone time and date)

at U. S. Naval Base, Pearl Harbor, Hawaii,
(location)

and ending -11L 31 May, 1963,
(zone time and date)

at 17°-45' N 165-01.2E
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 (Day) (Date) (Month), 19

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI, ATF-96 ZONE DESCRIPTION +10W DATE Wednesday (Day) 1 (Date) May (Month), 1963

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	7	10	SCT	3002	73	68	3	1750	CU			
02	010	7	10	SCT	3002	73	68	4	1750	CU			
03	010	7	7	SCT	3003	74	69	4	1750	CU			
04	020	6	7	SCT	3004	74	69	3	1750	CU			
05	020	8	7	SCT	3004	73	68	4	1750	CU			
06	030	8	10	SCT	3004	75	68	4	2450	CU			
07	035	8	10	BKN	3004	76	70	6	2100	CU			
08	035	5	10	BKN	3005	78	72	6	2100	CU			
09	040	5	10	BKN	3005	80	74	7	2100	CU			
10	040	4	10	BKN	3005	81	75	7	2100	CU			
11	050	4	10	BKN	3004	80	75	8	1750	CU			
12	060	4	10	BKN	3004	80	76	8	1400	CU			
13	070	4	10	BKN	3004	80	76	8	1400	CU			
14	060	5	10	BKN	3003	81	77	7	1400	CU			
15	050	7	10	BKN	3004	81	77	7	1400	CU			
16	060	7	10	BKN	3003	80	76	8	1400	CU			
17	070	8	7	BKN	3004	80	76	8	1400	CU			
18	065	6	10	BKN	3005	78	74	8	1400	CU			
19	065	6	10	BKN	3006	77	73	8	1400	CU			
20	060	5	6	BKN	3007	75	73	7	900	CU			
21	060	5	6	BKN	3007	76	73	7	1050	CU			
22	070	4	6	BKN	3006	76	73	6	1050	CU			
23	065	4	6	BKN	3007	76	73	7	1050	CU			
24	065	5	6	BKN	3007	76	73	6	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 414

REMARKS

0000 moored portside to berth Alfa two (A-2) with stayed nylon moorings lines doubled, at US Naval base Pearl Harbor Hawaii. Receiving fresh water and telephone service from the pier. Number one ships service generator providing electric power. Number two fire and flushing pumps on the line. Ships present include various units of the US Pacific Fleet and various yard and private small craft. Material condition "Yoke" set throughout the ship. SOPA in COMTHAWSEAFRON.

Robert M Turner Ens USNR

0400 moored as before. 0745 mustered crew at quarters absentees none

Robert M Turner Ens USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker 24 May U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 1 (Date) MAY (Month), 19 63

0800-1200: MOORED AS BEFORE. 1023 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. L. Swan, LTJG, USNR

1200-1600: MOORED AS BEFORE

H. L. Swan, LTJG, USNR.

1600-2000: MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

H. L. Swan, LTJG, USNR.

2000-2400: MOORED AS BEFORE.

H. L. Swan, LTJG, USNR

APPROVED: C. C. Reed Lt U.S.N. COMMANDING

EXAMINED: H. L. Walter LT(jg) U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 2 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	Ø2Ø	5	3	Sct	30.03	73	68	4	1750	Cu			
02	Ø2Ø	5	3	Sct	30.03	73	68	4	1750	Cu			
03	Ø25	5	3	Sct	30.03	73	68	4	1750	Cu			
04	Ø25	5	4	Sct	30.04	74	69	4	1750	Cu			
05	Ø25	5	4	Sct	30.04	74	69	5	1750	Cu			
06	Ø4Ø	6	4	Sct	30.04	74	69	5	1750	Cu			
07	Ø4Ø	6	6	Sct	30.05	75	7Ø	5	1750	Cu			
08	Ø4Ø	6	8	Sct	30.06	77	72	5	1750	Cu			
09	Ø4Ø	6	1Ø	Sct	30.06	78	73	5	1750	Cu			
10	Ø4Ø	6	1Ø	Sct	30.06	8Ø	75	5	1750	Cu			
11	Ø6Ø	8	1Ø	Sct	30.06	8Ø	75	5	1750	Cu			
12	Ø6Ø	8	1Ø	Bkn	30.06	8Ø	75	6	1750	Ac			
13	Ø6Ø	1Ø	1Ø	Bkn	30.05	81	78	7	1050	Ac			
14	Ø6Ø	11	1Ø	Bkn	30.05	81	78	7	1050	Ac			
15	Ø6Ø	11	1Ø	Bkn	30.05	79	77	7	7ØØ	Ac			
16	Ø6Ø	8	1Ø	Bkn	30.05	79	76	6	1050	Cu			
17	Ø6Ø	6	9	Bkn	30.04	78	75	6	1050	Cu			
18	Ø6Ø	5	9	Bkn	30.03	78	75	6	1050	Cu			
19	Ø7Ø	5	8	Sct	30.03	77	73	5	1400	Cu			
20	Ø7Ø	5	6	Sct	30.01	76	72	5	1400	Cu			
21	Ø7Ø	4	5	Sct	30.01	75	71	4	1400	Cu			
22	Ø7Ø	4	5	Sct	30.00	75	71	4	1400	Cu			
23	Ø7Ø	4	4	Sct	30.00	74	7Ø	4	1400	Cu			
24	Ø7Ø	4	4	Sct	30.00	74	7Ø	4	1400	Cu			

POSITION ZONE TIME

0800
L ____ BY ____
λ ____ BY ____

1200
L ____ BY ____
λ ____ BY ____

2000
L ____ BY ____
λ ____ BY ____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM ____ (ZT) (Date)
TO ____ (ZT) (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 19

FUEL CONSUMED 0000-2400: 234

REMARKS

ØØ-Ø4: MOORED PORT SIDE TO BERTH A-2, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMHAWSEAFRON.

W W Snodgrass, LTJG, USNR.

Ø4-Ø8: MOORED AS BEFORE. Ø745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

W W Snodgrass, LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LT(JG) U.S.N.R. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 2 (Date) MAY (Month), 1963

08-12 Moored as before: 0840 Set the Special Sea and Anchor detail. 0900 Captain and Navigator on the bridge. Underway 1 AW COM Flt Tra gp op-ord-18-63 (Dependents cruise) locabop area. Cap Lt(sg) NASON has the conn. MANEUVERING various Courses and Speeds to Conform to the charted inner Harbor and channel. 0916 passed Buoy #1 ~~to stbd~~. abeam to Stbd, approximately 50 feet. Secured the Special Sea and Anchor detail. Base Course 153°. 0917 C/S 9.5 Kts. 0922 Relieved the deck and conn. 0925 C/C 110°. 0935 Made daily Inspection of the Magazines and Smokeless powder Samples, Conditions Normal. 0944 C/S 6.7 Kts. ~~Entered into~~ Entered International Waters. 0954 C/S 9.5 Kts. 1000 C/S 6.7 Kts. 1005 C/C 020°. Entered Inland Waters 1016 Set navigational detail on the Bridge. 1022 C/C 025°, 1031 C/S - all stop. 1032 C/C 010°. C/S AB 80 RPM. let go the Port Anchor. Anchored in South Honolulu anchorage # 8, 20 Fathoms of Water. 1035 C/S AB 40 RPM. Veered port chain to 75 Fathoms. Anchor Holding in rocky bottom. Bearings Diamond Head light 091.5°, LARound 354°, Cupola 042°, 1036 C/S all stop. Secured the main Engines.

J. M. Hollis CWO-2, USN

12-16 Anchored as before: 1220 Ens Turner has the deck and Conn. 1305 Set the special Sea and Anchor detail. 1321 Anchors aweigh, Underway. Captain and Navigator on the bridge. C/S 6.7 Kts., All Stop. 1324 C/S AB 40 RPM. 1325 C/S All Stop - C/S 6.7 Kts, C/S 9.5 Kts. 1326 C/C 271°. 1332 Secured the Special Sea and Anchor detail. 1334 C/S 6.7 Kts. 1338 C/C 220°. Entered Inland Waters 1342 C/S 9.5 Kts. 1345 Exercised the Bridge Watch at Man-overboard drill. Commenced maneuvering on Various Courses to recover (OSCAR) man overboard - 1350 Secured from man overboard drill. 1351 C/C 270°, C/S 6.7 Kts. 1355 Ens. HORTON relieved Ens. Turner of the deck and conn. 1416 C/C 333°, 1418 C/C 335°, 1422 C/C 337°, 1423 C/S 338°, 1426 Set the special sea and anchor detail. Entered Inland Waters Commenced maneuvering Various Courses and Speeds while intering the charted channel and inner harbor, 1434 passed buoy # 2 abeam to stbd. approximately 50 feet, 1442 sent #2 MUB into the water. 1457 Moored Port side, to Berth Alpha TWO (A-2) U.S. Naval Station, Pearl Harbor, Hawaii ~~using four (4)~~ with std. mooring lines Doubled. #1 S/S generator supplying ships power and light, receiving telephone service from the pier. 1508 Secured the Master Gyro Compass, CWO Mills Relieved Ens. Horton of the deck.

Jul. Hollis. CWO-2. USN

16-20 Moored as before: 1800 Set modified condition 4 below ~~main deck and below~~ throughout the ship.

Jul. Hollis. CWO. 2, USN

20-24 Moored as before:

Jul. Hollis. CWO-2. USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walter Lt(jg) U.S.N.C NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE FRIDAY (Day) 3 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	Ø3Ø	3	3	Sct	3Ø.Ø1	72	7Ø	2	7ØØ	Cu			
02	Ø3Ø	3	3	Sct	3Ø.Ø1	72	7Ø	2	7ØØ	Cu			
03	Ø3Ø	3	3	Sct	3Ø.Ø1	72	7Ø	3	7ØØ	Cu			
04	Ø3Ø	3	4	Sct	3Ø.Ø2	73	71	3	7ØØ	Cu			
05	Ø3Ø	3	4	Sct	3Ø.Ø2	73	71	3	7ØØ	Cu			
06	Ø3Ø	4	5	Sct	3Ø.Ø2	75	72	4	1Ø5Ø	Cu			
07	Ø4Ø	4	8	Sct	3Ø.Ø2	75	72	4	1Ø5Ø	Cu			
08	Ø4Ø	4	9	Sct	3Ø.Ø3	77	72	5	175Ø	Cu			
09	Ø4Ø	6	1Ø	BKN	3Ø.Ø3	78	72	6	21ØØ	Cu/St			
10	Ø4Ø	6	1Ø	BKN	3Ø.Ø3	8Ø	73	7	245Ø	Cu/St			
11	Ø4Ø	6	1Ø	BKN	3Ø.Ø4	81	75	8	21ØØ	St			
12	Ø4Ø	7	1Ø	BKN	3Ø.Ø4	82	77	8	175Ø	St			
13	Ø4Ø	8	1Ø	BKN	3Ø.Ø4	82	77	8	175Ø	St			
14	Ø35	8	1Ø	BKN	3Ø.Ø4	82	78	8	14ØØ	St			
15	Ø35	8	1Ø	BKN	3Ø.Ø2	81	78	8	1Ø5Ø	Cu			
16	Ø35	6	1Ø	Sct	3Ø.Ø2	79	76	5	1Ø5Ø	Cu			
17	Ø3Ø	6	9	Sct	3Ø.ØØ	78	74	5	14ØØ	Cu			
18	Ø3Ø	4	9	Sct	3Ø.ØØ	78	74	5	144Ø	Cu			
19	Ø3Ø	4	6	Sct	3Ø.ØØ	76	7Ø	5	21ØØ	Cu			
20	Ø3Ø	4	5	Sct	3Ø.ØØ	74	68	4	21ØØ	Cu			
21	Ø3Ø	4	4	Sct	29.99	74	68	4	21ØØ	Cu			
22	Ø3Ø	3	4	Sct	29.99	73	66	3	245Ø	Cu			
23	Ø3Ø	3	3	Sct	29.99	73	66	3	245Ø	Cu			
24	Ø3Ø	3	3	Sct	29.98	72	65	3	245Ø	Cu			
	C												

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 51

REMARKS

ØØ-Ø4 moored port side to Berth A-2, U.S. Naval Station, Pearl Harbor, Hawaii, ~~using~~ with four std. mooring lines doubled. #2 s/s generator supplying ships power and lights. Condition ~~yoke~~ modified set throughout the ship - Receiving telephone service from the pier. Ships present include various units of the U.S. Pacific Flt, district and small craft. SOPA is ~~Cin C Pac Flt~~. COMTHIRDSEAFRON. DLH DLH

J. L. Hollis, CWO-2, USN

Ø4-Ø8 moored as before. Ø745 mustered the crew at Quarters, ~~unauthorized~~ absentees: none. DLH DLH

J. L. Hollis, CWO-2, USN

APPROVED: C C Rood Lt. U.S.N. COMMANDING

EXAMINED: R F Walker LT(SC) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Friday (Day) 3 (Date) May (Month), 19 63

0800-1200 moored as before. 0820 Brown, G. R., 546-87-01, Sn, USN received a laceration of the upper left thigh when he caught himself on a frayed steel cable; not due to his own misconduct. Treatment administered by the medical representative on board. Disposition return to duty. 1045 made daily inspection of magazine and smokeless powder samples.

Robert M. Turner Ens USN

1200-1600 moored as before

Robert M. Turner Ens USN

1600-2000 moored as before. 1800 Sept modified material condition "Jake" throughout the ship.

Robert M. Turner Ens USN

2000-2400 moored as before.

Robert M. Turner Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker Lt(jg) U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI, ATF-96 ZONE DESCRIPTION +10W DATE Saturday (Day) 4 (Date) May (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	3	SG	2998	72	65	3	2450	Cu			
02	040	3	3	SG	2998	72	67	3	1750	Cu			
03	050	3	3	SG	2998	72	67	3	1750	Cu			
04	050	5	5	SG	2998	72	69	4	1050	Cu			
05	050	3	8	BKN	2998	72	69	6	1050	Cu			
06	050	3	8	BKN	2998	72	69	6	1050	Cu			
07	050	8	8	SG	2998	75	70	4	1750	Cu			
08	050	8	8	SG	2998	78	71	3	2450	Cu			
09	050	8	8	SG	2998	80	73	5	2450	Cu			
10	050	8	8	BKN	2998	82	73	6	3250	Cu			
11	050	8	8	BKN	2998	83	73	6	3500	Cu			
12	130	10	8	BKN	2997	82	73	7	3250	Cu			
13	130	10	8	BKN	2996	80	72	8	2800	Cu			
14	130	12	8	OVC	2996	78	72	9	2100	Cu			
15	130	9	8	OVC	2996	77	71	10	2100	Cu			
16	130	7	8	BKN	2996	77	71	10	2100	Cu			
17	130	7	8	BKN	2996	77	71	10	2100	Cu			
18	130	7	8	BKN	2996	76	71	10	1750	Cu			
19	130	4	5	BKN	2996	76	71	9	1750	Cu			
20	130	2	4	BKN	2996	75	70	9	1750	Cu			
21	130	2	4	BKN	2998	75	69	9	1400	Cu			
22	130	2	4	BKN	2998	73	69	9	2100	Cu			
23	130	2	4	BKN	2998	74	69	9	1750	Cu			
24	130	2	3	BKN	2998	74	69	9	1750	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 500

REMARKS

00-04 moored portside to berth alfa two (A-2) 45 Naval Base Pearl Harbor Hawaii using standard mooring lines doubled. Receiving fresh water and and telephone service from the pier. Ships present include various units of US Pacific Fleet and various yard and district craft. Material condition modified "Yoke" is set throughout the ship. SOPA is Com Naval Sea Frcn.

Robert M Turner EnsUSNR

04-08 moored as before - 0745 mustered crew on stations absentees none

Robert M Turner EnsUSNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 4 (Date) MAY (Month), 1963

0800-1200 MOORED AS BEFORE. 0825 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0945 MUSTERED CREW AT QUARTERS FOR COMMANDING OFFICERS PERSONNEL INSPECTION. 1025 SECURED FROM COMMANDING OFFICERS PERSONNEL INSPECTION.

L E Harton
Enn USN

1200-1600 MOORED AS BEFORE

L E Harton
Enn USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED CONDITION YOKE THEN CUT THE SHIP.

L E Harton
Enn USN

2000-2400 MOORED AS BEFORE.

L E Harton
Enn USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: L E Walton Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 5 (Date) MAY (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	2	5	BKN	2998	75	69	7	2100	CU			
02	040	2	5	BKN	2998	74	70	7	1400	CU			
03	050	2	5	BKN	2998	73	71	7	700	CU			
04	050	2	5	BKN	2998	71	70	6	350	CU			
05	060	2	5	BKN	2998	70	68	6	700	CU			
06	060	2	5	BKN	2998	70	65	6	1750	CU			
07	060	3	3	BKN	2998	72	68	6	1400	CU			
08	070	8	5	BKN	2998	76	70	6	2100	CU			
09	070	8	8	BKN	2999	80	71	6	3150	CU			
10	070	8	8	BKN	3000	84	72	6	4200	CU			
11	070	8	10	BKN	3000	85	72	6	4350	CU			
12	070	8	10	BKN	3000	87	73	6	4900	CU			
13	070	8	10	BKN	3000	86	73	6	4550	CU			
14	050	8	10	BKN	3000	85	73	6	4200	CU			
15	035	8	10	BKN	2999	86	73	6	4500	CU			
16	035	7	10	BKN	3000	79	70	6	3150	CU			
17	040	7	10	BKN	3000	76	67	7	3150	CU			
18	040	7	10	BKN	3000	76	67	8	3150	CU			
19	040	7	10	BKN	3000	76	67	8	3150	CU			
20	040	7	10	BKN	3000	75	67	8	2800	CU			
21	040	7	10	BKN	3001	75	67	8	2800	CU			
22	040	7	10	BKN	3001	75	67	6	2800	CU			
23	040	7	10	BKN	3001	75	67	6	2800	CU			
24	040	7	10	BKN	3002	75	67	6	2800	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 252

REMARKS

0000-0004 MOORED PORT SIDE TO IN BERTH ALPHA TWO, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COM HAWSEAFRON 0145 FIRE PARTY CALLED AWAY. FIRE IN SHIPS DISTRIBUTION SWITCHBOARD CAUSED BY SALT WATER COOLING LINE ON #3 SHIPS SERVICE GENERATOR CARRING AWAY AND SPRAYING SALT WATER ON SWITCHBOARD. #2 SHIP SERVICE GENERATOR ALSO ~~STAYED~~ SPRAYED WITH SALT WATER. 0152 FIRE OUT. COMMENCED REPAIRS TO SWITCH BOARD.

LE Horton
Ens USN.

0400-0800 MOORED AS BEFORE

LE Horton Ens USN.

APPROVED: C C Read Lt. U.S.N. COMMANDING

EXAMINED: A L Walker LA (03) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 5 (Date) MAY (Month), 1963

224

0800-1200: MOORED AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 1037 ~~CONDUCTED~~ MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. Hoffman, LTJG, USNR

1200-1600: MOORED AS BEFORE

W. Hoffman, LTJG, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

W. Hoffman, LTJG, USNR

2000-2400: MOORED AS BEFORE.

W. Hoffman, LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: B L Walker LT(SC) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 6 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	SCT	3002	74	68	4	2100	CU			
02	040	5	10	SCT	3002	74	67	4	2450	CU			
03	035	2	10	SCT	3002	74	68	4	2100	CU			
04	035	2	10	SCT	3003	74	68	4	2100	CU			
05	045	2	10	SCT	3003	74	69	3	1750	CU			
06	045	2	10	SCT	3004	74	70	3	1400	CU			
07	050	2	10	SCT	3004	74	70	3	1400	CU			
08	050	5	10	SCT	3004	75	71	3	1400	CU			
09	050	7	10	SCT	3004	75	70	3	1750	CU			
10	050	9	10	SCT	3005	77	71	3	2100	CU			
11	050	11	10	SCT	3005	80	73	3	2450	CU			
12	050	11	10	SCT	3005	81	74	3	2450	CU			
13	050	10	10	SCT	3006	83	76	3	2450	CU			
14	050	5	10	SCT	3006	83	76	3	2450	CU			
15	050	4	10	SCT	3006	84	77	3	2450	CU			
16	050	4	10	SCT	3006	84	77	3	2450	CU			
17	050	4	10	SCT	3006	84	77	3	2450	CU			
18	050	4	10	SCT	3004	80	73	4	2450	CU			
19	040	5	10	SCT	3003	79	72	4	2450	CU			
20	030	5	10	SCT	3002	77	69	4	2800	CU			
21	030	7	10	SCT	3003	74	69	5	1750	SC			
22	030	7	10	SCT	3003	74	69	5	1750	SC			
23	030	14	10	BKN	3003	74	69	8	1750	SC			
24	030	5	10	BKN	3003	73	68	8	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 32

FUEL CONSUMED 0000-2400: 318

REMARKS

00-04: MOORED PORT SIDE TO BERTH A-2, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H. [illegible], LTJG, USNR.

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE.

H. [illegible], LTJG, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 6 (Date) MAY (Month), 1963

08-12 moored as before. 0835 set the Special Sea and Anchor detail. 0857 Underway ~~in~~ ac IAW FltTra.GP.OP-ord-19-63 to local ops-area. Captain and navigator on the bridge, Lt.jg. Swan has the Conn. Steering various courses and speeds while maneuvering in the inner harbor and charted channel. 0919 ~~0924~~ passed buoy 2 abeam to stbd. approximately 75 feet. 0927 Secured the special sea and anchor detail. 0928 entered passed into International waters. Course 152°, speed 9.5 Kts. 0931 ~~093~~ C/S 3.3 Kts, C/C 110°, 0942 C/S 9.5 Kts. 0944 C/S ~~12.3 Kts~~ 11.3 Kts 1036 C/C 090°, 1041 C/S 3.3 Kts. 1044 Made daily ~~inspection~~ of magazines and Smokeless Powder Samples, Conditions Normal. C/S 12.3 Kts. 1045 C/C 140°, Commenced Exercise Z-10-CC with USS Moctobi (ATF-105). C/S 5 Kts. 1053 C/C 040°, C/S 12 Kts. 1102 C/C 340°, C/S 5 Kts. 1111 C/S 12.0 Kts. 1113 C/C 280°, 1121 C/C 290°, 1128 C/C 965°, C/S 5 Kts. 1136 C/C 300°, C/S 12 Kts. 1144 C/C 210°, 1153 C/C 300°, Secured from Exercise Z-10-CC.

J.L. Hollis, CWO-2, USN

12-16 Underway as before. 1204 relieved Lt.(jg) Swan of the Command duties. 1230 C/C 333°, 1232 C/C 334°, 1240 C/C 335°, set the Special Sea and anchor detail, ~~entered~~ entered inland waters. 1243 C/C 337°, 1244 C/S 9.5 Kts. 1246 passed buoy #2 abeam to stbd. approximately 100 feet. Commenced steering various courses and speeds to conform to the charted channel and Harbor. 1306 Moored portside to Berth Alpha Two (A-2) U.S. Naval Station, Pearl Harbor, Hawaii. ~~Having~~ With four (4) standard 6x12 mooring lines doubled. 1312 Secured the special sea and anchor detail, #1 S/S generator supplying ships power and lights. 1415 Received S-10 target sled from YT-553, moored target outboard to starboard.

J.L. Hollis, CWO-2, USN

16-20 - Moored as before. 1800 set condition Yoke modified throughout the ship.

J.L. Hollis, CWO-2, USN

20-24 Moored as before:

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: [illegible] U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Tuesday (Day) 7 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	10	7	BKN	3003	73	69	8	1400	AC			
02	030	13	7	BKN	3006	73	68	8	1750	AC			
03	040	10	7	BKN	3008	72	68	8	1400	AC			
04	040	6	7	BKN	3009	72	67	8	1750	CU			
05	040	6	7	BKN	3010	72	67	8	1750	CU			
06	040	6	7	BKN	3012	75	70	8	1750	CU			
07	040	6	10	BKN	3012	76	71	8	1750	CU			
08	050	10	10	BKN	3013	78	73	8	1750	CU	075	070	2
09	060	10	10	BKN	3013	78	71	8	2450	CU	77	080	2
10	060	10	10	BKN	3015	76	70	8	2100	CU	76	080	2
11	060	13	10	BKN	3014	76	70	8	2100	CU	76	070	3
12	060	17	10	SCT	3013	76	70	5	2100	CU	75	070	4
13	060	21	10	SCT	3011	76	70	4	2100	CU	75	075	4
14	060	17	10	SCT	3010	76	69	4	2450	CU			
15	060	14	10	SCT	3009	76	70	4	2100	CU			
16	060	14	10	SCT	3009	76	70	4	2100	CU			
17	060	10	10	SCT	3009	76	70	4	2100	CU			
18	060	8	10	SCT	3009	76	69	4	2450	CU			
19	060	6	8	SCT	3009	74	69	4	1750	CU			
20	060	4	8	SCT	3008	74	69	4	1750	CU			
21	050	4	6	SCT	3008	72	64	3	2800	CU			
22	050	2	6	SCT	3008	72	64	3	2800	CU			
23	050	2	6	SCT	3009	72	64	3	2800	CU			
24	050	2	6	SCT	3009	72	64	3	2800	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 68

FUEL CONSUMED 0000-2400: 1259

REMARKS

00-04 moored portside to Berth alpha Two (A-2) U.S. Naval Station, Pearl Harbor, Hawaii, ~~using Four (4)~~ with Std. mooring lines doubled up. 5-40 target sled secured outboard to Stbd. #1 S/S generator supplying ships power and lights. Receiving telephone service from the pier & condition Yoke modified set throughout the ships. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is COMHAWSEAFRON. JWV JWV

J.L. Hollis. CWO-2, USN

04-08 moored as before: 0705 mustered the crew on stations, ~~unauthorized~~ absentees: none. 0710 set the special sea and anchor detail. 0730 Underway to local op area, IAW Com Flt Trg. OP-OP-ard-19-63. Captain and navigator on the Bridge. Steering various Courses and speeds to conform to the charted inner Harbor and channel - 0740 streamed target sled to 200 feet. JWV

J.L. Hollis. CWO2-USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 7 (Date) MAY (Month), 19 63

08-12 Underway as before. 0800 C/C 155°, ~~0801~~ 0801 C/C 157°, ~~0802~~ 0802 C/S all Stop 0802 C/C 160°, C/S 9 Kts. 0803 C/C 165°, 0804 secured the special Sea and Anchor Detail, set the regular underway watch. C/C 203°, C/S 13.1 Kts 0806 intered into International waters, veered target tow wire to 800 feet, Towing on the ~~Brake~~ Brake, 0811 C/S 13.3 Kts. 0901 made daily inspection of Magazines and Snubber powder samples, Conditions normal. 1012 C/C 240°, C/S 9.5 Kts, Commenced Streaming target, 1030 target streamed to 3,600 feet, Towing on the Brake, 1035 C/C ~~240°~~ 240°, C/S 13.3 Kts. Commenced Exercise Z-23-G with USS NOEL (DDG-13) 1133 Completed Exercise Z-23-G and Commenced Z-21-G with USS NOEL (DDG-13)

J.A. Hollis, CWO2 USN

12-16 UNDERWAY AS BEFORE. 1203 COMPLETED Z-21-G. RELEASED BY USS NOEL 1205 C/S TO 5.7 KNOTS. 1220 C/C TO 055° HEAVED SLED TOW WIRE IN TO 1000 1231 C/S TO 7.7 KNTS. C/S TO 12.3 KNTS. 1330 C/C TO 035° 1445 C/C TO 043° 1515 C/C TO 000° 1516 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 1522 C/C TO 333° COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1527 PASSED BOUY TWO ABEAM TO STBD APPROX 75 FT. 1541 HEAVED TARGET SLED UP TO STERN PASSED BOUY SIX ABEAM TO STBD APPROX 30 FT. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH ALPHA TWO, PEARL HARBOR. 1554 MOORED PORTSIDE TO IN BERTH ALPHA TWO. US NAVAL STATION, PEARL HARBOR, HAWAII

L.E. Horton
Ens USN

16-20 moored as before: 1800 set modified condition zebra throughout the ship.

Robert M. Turner Ens USNR

20-24 moored as before:

Robert M. Turner Ens USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker Lt(jg) U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 8 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	2	2	SCT	3009	72	67	3	1750	Cu			
02	050	2	3	SCT	3008	70	67	3	1050	Cu			
03	030	2	4	SCT	3008	70	67	3	1050	Cu			
04	030	2	5	CLR	3007	70	68	1	700	Cu			
05	030	3	5	CLR	3007	70	68	1	700	Cu			
06	030	8	7	SCT	3006	71	69	3	700	Cu			
07	030	10	9	SCT	3006	72	70	4	700	Cu			
08	060	12	10	SCT	3006	72	70	4	700	Cu			
09	060	12	10	SCT	3006	74	70	4	1400	Cu	76	060	3
10	050	12	10	SCT	3006	74	70	4	1400	Cu	76	060	3
11	040	12	10	SCT	3006	75	70	4	1750	Cu	76	060	3
12	060	12	10	SCT	3006	75	70	4	1750	Cu	75	060	3
13	060	15	10	SCT	3006	75	70	4	1750	Cu	75	060	3
14	060	17	10	SCT	3006	75	70	4	1750	Cu	75	060	3
15	060	15	10	SCT	3004	75	70	3	1750	Cu/ST	75	060	4
16	060	17	10	SCT	3001	77	72	3	1750	Cu/ST	75	060	4
17	060	20	10	SCT	2998	78	72	4	2100	Cu/ST	75	060	5
18	060	17	10	SCT	2999	78	71	4	2450	Cu/SC	75	060	4
19	060	17	10	SCT	2999	77	70	4	2450	Cu/SC			
20	060	15	10	SCT	2999	75	69	4	2100	Cu			
21	060	10	10	SCT	2999	73	68	4	1750	Cu			
22	060	10	10	SCT	2998	72	68	5	1400	Cu			
23	060	6	10	BKN	2998	71	67	4	1400	Cu			
24	060	6	10	BKN	2998	70	67	6	1050	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
115.5

FUEL CONSUMED 0000-2400
1546

REMARKS

00-04 Moored portside to berth Alfa two (A-2) at U.S. Naval Station, Pearl Harbor, Hawaii with standard moorings lines doubled. Receiving fresh water and telephone service from the pier. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Com Hawaiian Sea Frontier. Modified condition "Yoke" is set throughout the ship.

Robert M. Turner EN USN

04-08 Moored as before. 0645 Mustered crew on station absentees, Smith C.K. 5450669 EN3 USN U/A from 0645 this day. Stationed special sea and anchor detail. 0700 Captain and Navigator on the bridge, OOD has the Conn. 0706 Maneuvering at various courses and speed to clear berth. 0708 Underway from berth Alfa two (A-2) IAW Com 7th Fit

APPROVED: C.C. Rudd Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker Lt(jg) U.S.N.R. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 WEDNESDAY (Day) 8 (Date) MAY (Month) 63

Grw, op order 19-63 draft 14' forward 15'5" aft. 0711 Steady on course 180°, 9.5 Kts. 0714 c/c 156°. passed buoy number six (6) abeam to starboard, distance 50 ft. 0715 c/c 154°, 0720 c/s 12.3 Kts. 0722 Passed buoy # two (2) abeam to starboard 75 ft. 0723 c/c 140°. Secured the special sea and Anchor detail, set the regular underway watch. 0727 c/c 177°; 155°, c/s 14.3 Kts, 0729 entered International waters, c/c 113°, Relieved of the deck and conn by CWO Hallis.

Robert M Turner Ens USN

04-08 (cont) underway as before 0752 c/c 117°

J. C. Hallis, CWO 2, USN

08-12 Underway as before. 0803 c/c 270°, c/s 6.7 Kts. 0806 c/s 5.3 Kts. 0820 commenced Exercise Z 10-cc with U.S.S. Reclaimer (ARS-42) c/c 235°, c/s 5 Kts. 0829 c/c 350°, c/s 9.5 Kts. made daily inspection of magazine and smokless powder samples. Conditions Normal. 0831 c/c 350°, 0841 c/c 325°, c/s 5.1 Kts. 0848 c/c 300°, 0857 c/c 180°, c/s 8. Kts. 0907 c/c 120°, c/s 12.3 Kts. 0915 c/c 090°, c/s 8. Kts. 0923 c/c 060°, c/s 12 Kts. 0931 c/c 180°, c/s 6.7 Kts. 0932 Completed Exercise Z-10-cc with uss Reclaimer (ARS-42) c/s all stop. 0950 c/s 6.7 Kts. c/c 165°, the Captain has the Conn. 0951 c/s 9.5 Kts. Commenced Exercise Z-6-S with uss Reclaimer (ARS-42) maneuvering on various courses and speeds to take U.S.S. Reclaimer (ARS-42) in tow. approaching ARS-42 from our Stbd. side. 0957 messanger aboard (ARS-42). 1001 Towing hawser aboard (ARS-42) ~~#1~~ 1004 Towing hawser fast to ARS-42) 1005 USS Reclaimer (ARS-42) cast off towing hawser. 1010 all lines on deck, Completed Exercise Z-6-S. Rudder is midships, Engines are all stop. 1011 c/s 6.7 Kts 1012 c/s 12.3 Kts. 1013 c/c 298°, c/s 13.3 Kts. 1020 lost steering control. 1022 Lt(jg) Walper has the conn, Captain on the Bridge. 1024 regained steering control. Repaired pin to pump tilt plate control Rod. 1027 c/s 13.3 Kts. 1030 OOD resumed the conn. 1034 c/c 295°, 1044 c/c 299°, 1050 c/c 330°, 1052 Set the Special Sea and Anchor detail. 1055 c/c 333°, 1059 c/s 9.5 Kts. 1101 Passed ~~buoy~~ buoy # 2 abeam to stbd. approx. 50 feet. 1102 c/c 335°, 1104 c/c 337°, 1106 c/c 335°, 333°, 1108 c/c 331°, 1110 c/c 335°, c/s 6.7 Kts. 1111 c/c 340°, c/s 3.3 Kts. 1112 c/c 350°, Commenced maneuvering on various courses while approaching Berth alpha Sit A6 1123 moored Stbd side to Berth alpha sit (A-6) U.S. Naval Station, Pearl Harbor, Hawaii. 1127 tug with S-40 target sled approaching port side. 1130 S-40 sled tied outboard to port. 1131 C.R. Smith, 545 06 69 EN3 USN reported aboard. T.A. from 0645 8 May 1963. 1147 Underway with S-40 target sled IAW Com Flt TRA Grw op-ord 19-63, for local op area. Captain and Navigator on the Bridge, OOD has the conn. Maneuvering on various courses and speeds

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walper Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ~~ABNAKI ATF 96~~ ZONE DESCRIPTION ~~+10~~ DATE ~~THURSDAY~~ 9 ~~MAY~~ , 19 63
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION ZONE TIME
0800
L _____ BY _____
λ _____ BY _____
1200
L _____ BY _____
λ _____ BY _____
2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH ALPHA TWO, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COM HAW SEA FRON.

L E Hooton
Ens USN

04-08 MOORED AS BEFORE. 0730 MUSTERED CREW AT QUARTERS. ABSENTEES NONE. 0739 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 0756 UNDERWAY FROM BERTH ALPHA TWO TO BRAVO TEN US NAVAL SHIPYARD IN ACCORDANCE WITH VERBAL ORDER FROM FORCE MAINTAINANCE OFFICER

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 8 (Date) May (Month) 63

While clearing Berth, and streaming S-40 sled. 1151 c/s ALL STOP. Captain has the conn. 1152 c/s 6.7 Kts, all stop. 1153 ¾ AB 80 RPM, all stop. 1154 Rudder midships c/s 3.3 Kts. 1155 c/s all stop, Left 20° Rudder - Shift Rudder. 1156 c/s 3.3, 6.7 Kts. 1157 Steady on Course 185°, c/c 190°, c/s 9.5 Kts, OOD has the Conn. 1159 c/c 153°, 1200 c/c 150°, c/s 7.7 Kts.

J. L. Hollis, CWO-2, USN

12-16 Underway as before, 1204 c/c 153°, 1206 Commenced streaming sled to 500 feet. 1207 c/s 9.5 Kts. 1212 Passed Buoy #1 abeam to stbd. approximately 100 feet. 1213 c/c 203°, Sled at 0,800 feet and brake set. 1214 c/s 10.1 Kts. 1216 c/s 11.3 Kts. 1221 entered International Waters, c/s 12.3 Kts. 1224 c/s 13.3 Kts. 1230 Ens. Turner assumed the conn and deck.

J. L. Hollis, CWO-2, USN

12-16 (cont'd) underway as before: 1406 c/c 240°, 1432 c/s 12.3 Kts, c/s 9.5 Kts. 1433 c/s 6.7 Kts. 1434 c/s 3.3 Kts, c/s 6.7 Kts. c/c 250°, 1458 sled out to 3,600 feet. Brake set. Commenced Exercise 7-25-G. With RNZ Navy ship (F-111) 1500 c/s 9.5 Kts c/c 260°, 1501 c/s 12.3 Kts. 1502 c/c 250°, 1503 c/s 6.7 Kts. 1514 c/s 9.5 Kts, c/c 260°, 1515 c/s 12.3 Kts. c/c 245° 1517 c/c 250°, 1518 c/s 6.7 Kts. 1536 c/c 260°, c/s 9.5 Kts. 1538 c/s 12.3 Kts, 1539 c/c 245°, 1542 c/c 250°, 1543 c/s 9.5 Kts. 1544 c/s 6.7 Kts. c/c 250°, 1545 Ens. HORTON assumed the conn and deck.

Robert M. Turner, Ens USN

16-20 Underway as before. 1608 c/c 260°, c/s 12.3 Kts. 1016 c/c 240°, 1613 ¾ 250°, c/s 9.5 Kts. 1614 c/s 6.7 Kts. RNZN OTAGO (F-111) completed Exercise 2-23-G. 1630 c/s 9.5 Kts. c/s 12.3 Kts. 1635 c/s 9.5 Kts. c/s 6.7 Kts. 1638 c/s 9.5 Kts, c/s 12.3 Kts. 1642 c/s 9.5 Kts, c/s 6.7 Kts. 1701 Left 5th Rudder. c/s 7.0 Kts. c/c 300°, 1705 c/s 12.3 Kts. Right 5° Rudder. 1710 Rudder midships, c/c 070°, 1711 c/s 7.0 Kts. 1727 Lt(jg) Swan assumed the Deck and the Conn

J. E. Horton, Ens USN

16-20 (Con't) Underway as before: 1856 c/s 8 Kts. 1900 observed Sunset Turned on Running and towing lights. 1903 RNZN OTAGO (F-111) Commenced Exercise 2-26-G. 1929 c/c 080°, c/s 11.3 Kts. 1949 c/s 6.7 Kts. ~~RNZ~~ RNZN OTAGO (F-111) completed Exercise 2-26-G. Released from Exercises. 1945 c/c 077°, 1946 Commenced heaving in sled to 900 feet. JOH

W. J. Swan, LTJG, USNR

20-24 Underway as before: 2001 CWO Hollis ~~Swan~~ assumed the Deck and the Conn. 2003 Target sled on the Brake at 900 feet

APPROVED: Reed LL U.S.N. COMMANDING

EXAMINED: A. J. Valle Lt(jg) U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month) , 19 _____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 8 (Date) May (Month), 19 63

20-24 (cont'd) 2005 C/S 11.3 Kts. 2009 C/S 12.3 Kts. 2015 C/S 13.3 Kts. 2112 C/C 030°, 2130 sighted Diamond Head light Brg. 050°, 16 miles. 2145 C/C 027°. 2236 C/C 033°. 2248 C/C 333°. 2250 Set the special Sea and Anchor detail. 2252 C/S 12.3 Kts. 2253 C/S 9.5 Kts. 2255 C/S 6.7 Kts. 2256 C/S 9.5 Kts. Commenced leaving in sled. 2258 C/C 335°. 2259 passed buoy #2 abeam to stbd. approx. 75 feet. 2301 C/S 7.7 Kts. 2302 C/C 337°. 2305 C/C 335°. Sled at 200 feet astern. 2311 C/S 6.7 Kts. 2312 C/C 345°. Leaving in on sled. 2313 C/S 3.3 Kts. 2314 Commenced maneuvering on various courses and speeds while approaching berth alfa two (2). Target sled snatched up astern. 2322 Captain Lee the Comm. 2326 moored port side to berth alfa two (2), U.S. Naval Station, Pearl Harbor, Hawaii, with fwd. and aft lines doubled. 2330 secured the special sea and anchor detail, set the in port watch.

J. D. Hollis, CWO 2, USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ETF-96) ZONE DESCRIPTION +10W DATE THURSDAY (Day) 9 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	4	10	BKN	2998	70	67	6	1050	Cu			
02	050	4	10	BKN	2998	71	68	6	1050	Cu			
03	050	5	10	BKN	2999	72	69	7	1050	Cu			
04	040	4	4	BKN	2999	73	70	7	1050	Cu			
05	045	4	5	BKN	2999	73	70	7	1050	Cu			
06	045	3	6	BKN	3000	75	73	6	1050	Cu			
07	045	3	7	BKN	3000	75	73	6	1050	Cu			
08	070	4	7	OVC	3002	73	70	10	1050	St			
09	090	6	7	OVC	3003	73	68	10	1750	St			
10	085	4	7	OVC	3003	75	70	10	1750	St			
11	080	2	7	OVC	3004	78	71	10	2400	St			
12	070	2	10	OVC	3003	79	71	10	2800	St			
13	080	2	10	OVC	3002	79	71	10	2800	St			
14	090	2	10	BKN	3001	79	70	7	3150	St			
15	090	2	10	BKN	3000	79	70	6	3150	St			
16	045	3	8	BKN	3000	75	72	6	1050	Cu			
17	045	4	8	BKN	3000	75	72	6	1050	Cu			
18	045	5	8	BKN	3000	75	72	6	1050	Cu			
19	045	5	7	BKN	3000	74	69	6	1050	Cu			
20	050	5	3	BKN	3000	74	66	6	1050	Cu			
21	050	5	3	BKN	3002	73	66	6	1050	Cu			
22	060	5	3	BKN	3002	73	68	6	1050	Cu			
23	060	5	3	BKN	3002	73	68	6	1050	Cu			
24	060	4	3	BKN	3001	72	67	6	1050	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 8

FUEL CONSUMED 0000-2400: 108

REMARKS

00-04 Moored portside to in berth Alfa two, Pearl Harbor, Hawaii with Standard mooring lines doubled. Modified Conductor Yoke set throughout the ship. Receiving Fresh water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, Local and District Craft. Ships CO is Comdr Head Section.

J E Hatton
Ens USN

04-08 Moored as before. 0730 Mustered crew at Quarters. ABSENTEES none. 0735 Set Special Sea and Anchor Detail, Captain and Navigator on the bridge, OOD has the Conn. 0756 Underway IAW verbal orders from Force Maintenance Officer.

J E Hatton
Ens USN.

APPROVED: C C Rad Lt U.S.N. COMMANDING

EXAMINED: A L Walke Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 9 (Date) MAY (Month), 19 63

0400-0800 (COAST) Maneuvering Various Courses And Speed To Clear Berth And Head Fair In Channel.

J E Hartz
Ens USN

0800-1200 Underway As Before. 0803 Headed Fair On Course 000° Speed 6.7 Kts. Commenced Maneuvering On Various Courses And Speeds to Conform with Pearl Harbor Channel. 0821 Captain Has The Conn Commenced Maneuvering Various Courses And Speed To Approach And Moor In Berth BRAVO TEN. 0833 Moored Portside to in Berth BRAVO Ten U.S. Naval Shipyard, Pearl Harbor, Hawaii.

J E Hartz
Ens USN

0800-1200: (Continued) Moored As Before. 0841 Secured Special Sea and Anchor Detail. 0915 Made Daily Inspection of Magazines and Smokeless Powder Samples; Conditions Normal. 1015 U.S.S. TAWAKONI (ATF-114) Relieved This Ship as ComServPac Search And Rescue Ready Duty Ship.

W. L. Johnson, LTJG, USNR

1200-1600: Moored as before.

W. L. Johnson LTJG USNR

1600-2000: Moored as before. 1800: Set Modified Material Condition Yoke.

W. L. Johnson, LTJG, USNR

2000-2400: Moored as before.

W. L. Johnson, LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] Lt (jg) U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION H0 DATE FRIDAY (Day) 10 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL Harbor, Hawaii ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	3	3	SCT	3001	72	67	5	1750	Cu			
02	060	3	3	SCT	3001	72	68	5	1400	Cu			
03	060	2	3	SCT	3001	71	68	3	1050	Cu			
04	060	2	4	SCT	3001	71	68	4	1050	Cu			
05	060	3	4	SCT	3002	71	68	3	1050	Cu			
06	060	3	6	SCT	3003	72	66	3	2100	Cu			
07	060	10	6	SCT	3004	72	66	8	2100	Cu			
08	060	10	6	OVC	3005	73	66	10	2450	Cu			
09	060	15	6	OVC	3006	74	66	10	2800	Cu			
10	060	15	6	OVC	3007	75	66	10	3250	Cu			
11	060	15	6	OVC	3006	77	68	9	3750	Cu			
12	060	15	6	SCT	3006	78	69	8	3750	Cu			
13	060	15	6	SCT	3005	79	69	7	3750	Cu			
14	010	10	7	SCT	3005	74	66	7	2800	Cu			
15	010	10	7	SCT	3006	74	66	7	2800	Cu			
16	010	10	7	SCT	3004	75	68	7	2450	Cu			
17	010	10	7	SCT	3004	75	68	7	2450	Cu			
18	010	10	7	SCT	3004	75	68	7	2450	Cu			
19	010	5	7	SCT	3004	75	68	7	2450	Cu			
20	010	4	7	SCT	3004	75	68	7	2450	Cu			
21	010	4	7	SCT	3004	75	68	7	2450	Cu			
22	010	4	7	SCT	3004	75	68	7	2450	Cu			
23	010	4	7	SCT	3004	75	68	7	2450	Cu			
24	010	4	7	SCT	3004	75	68	7	2450	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 264

REMARKS

00-04: Moored Portside to Berth B-10, U.S. Naval SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITIONS YOKE IS SET. RECEIVING FRESH WATER, STEAM and TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

H W Lawson LTJG, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE

H W Lawson, LTJG, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: G L Walker LT(jg) U.S.N.R. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 10 (Date) May (Month), 19 63

0800-1200 Moored as before; 1020 Made daily inspections of magazines and smokeless powder samples, conditions normal. Made weekly test of magazine sprinkling system, conditions satisfactory

J. L. Hollis, CWO-2, USN

1200-1600 Moored as before.

J. L. Hollis, CWO-2, USN

1600-2000 Moored as before; 1900 set modified condition Yoke throughout the ship.

J. L. Hollis, CWO-2, USN

2000-2400 Moored as before.

J. L. Hollis, CWO 2, USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: [illegible] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Saturday (Day) 11 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, Hawaii ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	4	6	BKN	3004	75	68	7	2450	Cu			
02	010	3	6	BKN	3004	75	68	7	2450	Cu			
03	020	2	3	BKN	3007	74	69	7	1750	Cu			
04	020	2	4	BKN	3007	74	69	7	1750	Cu			
05	020	4	5	BKN	3007	74	69	7	1750	Cu			
06	020	5	6	BKN	3007	74	69	7	1750	Cu			
07	020	5	7	BKN	3007	74	69	7	1750	Cu			
08	050	12	7	BKN	3008	77	71	8	2100	Cu			
09	050	12	7	BKN	3008	78	74	9	1400	Cu			
10	050	12	7	BKN	3008	79	75	9	1400	Cu			
11	050	12	7	BKN	3009	80	76	9	1400	Cu			
12	050	12	7	BKN	3007	79	75	8	1400	Cu			
13	050	12	7	BKN	3006	78	74	8	1400	Cu			
14	050	12	7	BKN	3005	77	72	8	1750	Cu			
15	050	12	7	BKN	3004	77	71	8	2100	Cu			
16	050	12	7	BKN	3004	77	71	8	2100	Cu			
17	050	12	7	BKN	3004	77	71	8	2100	Cu			
18	050	12	7	BKN	3004	77	71	8	2100	Cu			
19	050	12	7	BKN	3004	77	71	8	2100	Cu			
20	050	12	7	BKN	3004	78	71	8	2450	Cu			
21	060	12	8	BKN	3004	77	71	8	2100	Cu			
22	060	12	8	BKN	3005	76	71	8	1750	Cu			
23	060	12	7	BKN	3005	76	70	8	2100	Cu			
24	060	12	7	BKN	3005	76	70	8	2100	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: NONE

REMARKS

00-04 Moored portside to Berth (B-10) U.S. Naval Shipyard, Pearl Harbor, Hawaii. Standard lines doubled. Receiving fresh water, steam and telephone services from the pier. Condition Yoke modified set throughout the ship. Ships present include units of the U.S. Pacific Fleet, District and small craft. Local is Commercial Pacific.

Jack Hollis, CWO 2-USN

04-08 moored as before. 0745 Mustered the crew on station absentees none.

Jack Hollis. CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 11 (Date) May (Month), 19 63

08-12 Moored as before. 0825 mustered crew at quarters for Captain's personnel Inspection. 1000 made daily inspection of magazine and smokeless samples, conditions normal.

Lon Turner Ens USNR

12-16 Moored as before.

Lon Turner Ens USNR

16-20 Moored as before. 1800 Set modified material condition "Yoke" throughout the ship.

Lon Turner Ens USNR

20-24. Moored as before.

Lon Turner Ens USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: L E Walker LtCdr U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI AFT 96 ZONE DESCRIPTION +10W DATE Sunday (Day) 12 (Date) May (Month), 19 63

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	12	7	OVC	30.04	76	70	10	2100	Cu			
02	060	12	7	OVC	30.04	75	70	10	1250	Cu			
03	060	12	7	OVC	30.04	75	69	10	2100	Cu			
04	060	12	7	OVC	30.04	74	69	10.	1750	Cu			
05	060	12	7	OVC	30.04	74	69	10	1750	Cu			
06	060	12	7	L	30.04	73	68	10	1750	Cu/ST			
07	060	12	7	L	30.04	73	68	10	1750	Cu/ST			
08	060	12	7	BKN	30.04	74	70	9	1450	Cu/ST			
09	060	12	7	BKN	30.05	74	72	8	1000	Cu/ST			
10	060	12	7	BKN	30.05	25	73	8	1000	Cu			
11	060	12	7	BKN	30.05	78	74	7	1000	Cu			
12	060	12	7	BKN	30.06	79	74	7	1750	Cu			
13	060	12	7	BKN	30.04	80	75	6	1750	Cu			
14	040	12	7	BKN	30.02	78	74	7	1400	Cu			
15	050	10	7	BKN	30.01	79	74	7	1750	Cu			
16	060	10	7	BKN	30.01	78	73	7	1750	Cu			
17	070	10	7	BKN	30.00	78	73	7	1750	Cu			
18	075	10	7	BKN	30.00	77	72	7	1750	Cu			
19	075	7	7	BKN	30.02	76	74	7	1000	Cu			
20	075	7	7	BKN	30.02	75	73	7	1000	Cu			
21	075	1	7	BKN	30.02	75	73	7	1000	Cu			
22	075	1	7	BKN	30.02	75	73	7	1000	Cu			
23	075	1	7	BKN	30.02	75	73	7	1000	Cu			
24	080	5	7	BKN	30.00	74	72	7	1000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: None

REMARKS

00-04 Moored outside to berth Dock 2e (B-10) at U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition "yoke" modified at thoughout the ship. Lining fresh water, electrical power, steam and telephone service from the pier. Ships present include units of U.S. Pacific Fleet and various yard and district acpt. Supt is Com Hawaiian Sea Frs.

Robert M. Turner Ens USNR

04-08. Moored as before. 0745 Mustered crew at station. Weather: rain

Robert M. Turner Ens USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N.R. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 12 (Date) MAY (Month), 19 63

0800-1200 MOORED AS BEFORE 1052 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J E Harter
Elec USN

1200-1600 MOORED AS BEFORE

J E Harter
Elec USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP

J E Harter
Elec USN

2000-2400 Moored as before

J E Harter
Elec USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker 12/5/63 U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 13 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	5	5	BKN	3000	74	72	7	1000	Cu			
02	090	5	5	BKN	3000	74	72	7	1000	Cu			
03	080	5	5	BKN	3000	74	72	7	1000	Cu			
04	080	5	3	BKN	3000	74	72	7	1000	Cu			
05	080	6	3	BKN	3000	74	72	7	1000	Cu			
06	080	4	7	BKN	2999	74	72	7	1000	Cu			
07	030	4	7	BKN	2999	77	75	7	1000	Cu			
08	010	5	8	BKN	2999	78	76	8	1000	Cu			
09	000	5	10	OVC	2999	79	76	10	1050	Cu			
10	340	6	10	OVC	3000	80	77	10	1050	Cu			
11	340	7	10	OVC	3000	82	79	10	1050	Cu			
12	340	7	10	OVC	3000	84	81	10	1050	Cu			
13	040	7	10	OVC	3000	82	79	10	1000	Cu			
14	020	5	10	OVC	3000	80	77	10	1050	Cu			
15	070	4	10	OVC	2999	79	76	10	1050	Sc			
16	095	4	8	OVC	2999	78	75	10	1050	Sc			
17	120	4	7	OVC	2999	77	74	9	1050	Sc			
18	190	4	6	BKN	2999	76	73	7	1050	Sc			
19	190	4	5	BKN	2999	75	72	5	1050	Sc			
20	190	4	4	SCT	2999	74	71	4	1050	Sc			
21	190	4	4	SCT	2999	74	72	4	1000	Sc			
22	190	6	4	SCT	2999	75	72	4	1050	Sc			
23	190	6	4	SCT	2999	75	73	4	1000	Sc			
24	190	6	4	SCT	2996	75	73	4	1000	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400
Ø

FUEL CONSUMED
0000-2400
none

REMARKS

ØØ-Ø4 Moored Port Side To in Berth Bravo Ten US Naval Shipyard Pearl Harbor, Hawii, with Standard mooring lines doubled. Modified condition Yoke set-thru out the ship. Receiving electrical power, fresh water, steam and telephone Service from the Pier. Ship present includ Various units of US Pacific Flet, yard and district croft. SOPA is COM HAW SEA FRON.

L E Harton
Ens USN

Ø4-ØØ Moored as before. Ø745 Mustered crew at Quarters: Absentees None

L E Harton
Ens USN.

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 13 (Date) MAY (Month), 19 63

0800-1200: MOORED AS BEFORE. 0827 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. H. Swan, LTJG, USNR

1200-1600: MOORED AS BEFORE.

W. H. Swan, LTJG, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

W. H. Swan, LTJG, USNR

2000-2400: MOORED AS BEFORE.

W. H. Swan, LTJG, USNR

APPROVED:

C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED:

R. L. Walker U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 14 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	4	3	SCT	2996	75	73	4	1000	Cu			
02	180	4	3	SCT	2996	75	73	4	1000	Cu			
03	180	4	4	SCT	2996	75	73	4	1000	Cu			
04	180	4	5	SCT	2996	75	73	4	1000	Cu			
05	180	4	7	SCT	2996	76	74	4	1000	Cu			
06	170	4	10	SCT	2997	76	74	4	1000	CB			
07	160	4	10	SCT	2997	77	75	4	1000	CB			
08	160	4	10	SCT	2997	77	75	4	1000	CB			
09	155	5	10	BKN	2997	77	75	7	1000	CB			
10	145	5	9	BKN	2997	76	74	7	1000	CB			
11	135	6	9	BKN	2998	75	73	7	1000	CB			
12	135	6	8	BKN	2998	75	73	7	1000	CB			
13	130	6	3	OVC	2999	75	73	9	1000	ST			
14	130	5	3	R	2999	74	73	9	700	ST			
15	120	5	3	R	2999	74	73	9	700	ST			
16	120	5	3	R	3000	73	73	9	700	ST			
17	120	5	3	RW	3000	73	72	9	700	ST			
18	120	5	5	RW	3000	73	72	9	7000	ST			
19	120	4	5	RW	3000	71	70	9	1000	ST			
20	120	4	6	BKN	3000	71	69	8	1000	ST			
21	120	4	6	BKN	3000	71	69	8	1000	CB			
22	120	4	6	BKN	3000	71	68	8	1000	CB			
23	120	4	6	BKN	3000	71	68	8	1000	CB			
24	120	4	6	BKN	3000	72	68	8	1500	CB			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: none

REMARKS

00-04: MOORED PORT SIDE TO BERTH B-10, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

W. W. Swan, LTJG, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE.

W. W. Swan, LTJG, USNR

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walter LT(SC) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 14 (Date) MAY (Month), 1963

08-12 moored as before. 0820 WHIFFEN, Harold A. SA 597-3491 USN while removing a cooking utensil from the dish-washing machine in the scullery did accidently spilled Boiling water on his right upper thigh incurring 1st and 2nd degree Burns. not apparent due to misconduct. Treatment, Sterile Vaseline gauze over effected area. Darvon 64 mgm stat. for pain and discomfort. No duty for 24 hours. 0925 made daily inspections of magazines and Smokless powder samples. Conditions normal. 1150 Small chronometer out of commission.

J.L. Hollis. CWO-2, USN

12-16 moored as before.

J.L. Hollis. CWO-2, USN

16-20 moored as before. 1800 set condition yoke modified through out the ship. 1930 CinCPac Flt. assumed S.O.R.A. duties.

J.L. Hollis. CWO-2, USN

20-24 moored as before.

J.L. Hollis. CWO 2

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] Lt(jg) U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION Z10-L DATE Wednesday (Day) 15 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	8	10	BKN	3000	72	68	8	1500	CU			
02	040	8	10	BKN	3000	72	68	8	1500	CU			
03	040	8	10	BKN	3000	70	66	8	1500	CU			
04	040	8	10	BKN	3000	70	66	8	1500	CU			
05	040	8	10	BKN	3000	71	66	8	1800	CU			
06	040	8	10	BKN	3000	73	68	8	1800	CU			
07	040	8	10	BKN	3000	75	68	8	2200	CU			
08	040	8	10	BKN	3000	75	68	8	2500	CU			
09	040	8	10	BKN	3000	77	69	8	2500	CU			
10	040	8	10	BKN	3000	78	70	8	2800	CU			
11	040	8	10	BKN	3000	78	70	8	2800	CU			
12	040	7	10	BKN	2999	78	70	8	2800	CU			
13	060	6	10	BKN	2999	79	71	7	2800	CU			
14	070	6	10	BKN	2999	79	71	7	2800	CU			
15	080	5	10	SCT	2999	78	72	5	2800	CU			
16	080	5	10	SCT	2997	77	73	5	2100	CU			
17	070	4	10	SCT	2996	76	73	4	1200	CU			
18	080	4	10	SCT	2995	75	73	4	700	CU			
19	090	4	10	SCT	2994	75	73	3	700	CU			
20	090	4	10	SCT	2994	75	73	3	700	CU			
21	090	3	10	SCT	2995	74	72	3	700	CU			
22	050	3	10	SCT	2996	74	72	2	700	CU			
23	060	3	10	SCT	2996	74	72	2	700	CU			
24	060	3	10	SCT	2996	74	72	2	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: NONE

REMARKS

00-04 Moored port side to Berth B-10, U.S. Naval shipyard Pearl Harbor Hawaii, ~~using four~~ std. mooring lines Doubled. Receiving Freshwater, Steam, air, and telephone services from the pier. Condition modified yoke set throughout the ship. Ships present include units of the U.S. Pacific Flt, ~~Destroy~~ and Small Craft. and RNZN OTAGO (F-111). SOPA is CinC pac Flt. RSN

J.L. Hollis. CWO-2, USN

04-08 Moored as before. 0745 Mustered the crew at Quarters. ~~Unauthorized~~ absentees: none. RSN

J.L. Hollis. CWO-2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rosen, Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Wednesday (Day) 15 (Date) MAY (Month), 19 63

08-12 Moored as before
0820 Commenced Pre-deployment FAM by CDR Weiler of COMSERVPAC. 0835 Made daily inspection of magazines and smokeless powder samples; conditions: normal. 0900 secured from Pre-deployment inspection.

Robert M. Turner Ens USNR

~~08~~-12-16 Moored as before
1310 Pursuant BuPers order B1611 of 10 April 1963 LTjg R.W Walker, USNR, 637649 departed the ship to report to U.S. Naval Station, Treasure Island, California for separation. 1426 ~~LTjg H.K Swan~~ Pursuant DSN to BuPers Msg 122236Z of April 1963, LTjg H.K. Swan, USNR, 651635 departed the ship to Report to Naval Advisory Group, Chinhae, Korea. For duty

Robert M Turner Ens USNR

16-20 Moored as before
1800 Set material condition Yoke (Modified).

Robert M Turner Ens USNR

20-24
Moored as before

Robert M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Thursday (Day) 16 (Date) May (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	4	7	SCT	2995	71	69	2	750	CU			
02	100	4	8	SCT	2994	70	68	2	750	CU			
03	110	2	8	SCT	2993	69	67	2	750	CU			
04	120	2	8	SCT	2992	69	67	2	750	CU			
05	120	1	10	SCT	2994	66	64	2	750	CU			
06	120	1	10	SCT	2994	66	64	4	750	CU			
07	120	3	10	BKN	2993	68	65	6	1050	CU			
08	125	5	10	BKN	2993	70	66	6	1400	CU			
09	125	6	10	BKN	2993	75	67	6	2800	CU			
10	125	6	10	BKN	2992	79	70	7	2800	CU			
11	125	6	10	BKN	2992	80	72	7	2800	CU			
12	125	6	10	BKN	2992	80	74	7	1800	CU			
13	125	6	10	BKN	2991	80	75	7	1500	CU			
14	125	6	10	BKN	2991	79	75	8	1400	CU			
15	125	6	10	BKN	2990	78	75	8	1200	CU			
16	130	6	10	BKN	2990	77	75	8	1200	CU			
17	120	3	10	BKN	2990	76	75	8	1200	CU			
18	110	3	10	BKN	2990	76	75	8	1200	CU			
19	100	3	10	BKN	2990	75	71	8	1400	CU			
20	100	4	10	BKN	2990	75	71	8	1400	CU			
21	100	4	10	BKN	2990	75	71	8	1400	CU			
22	100	4	10	BKN	2990	75	71	8	1400	CU			
23	100	4	10	BKN	2990	75	71	8	1400	CU			
24	100	4	10	BKN	2990	75	71	8	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: NONE.

REMARKS

00-04 MOORED PORTSIDE TO BERTH BRAVO 10 WITH STANDARD MOORING LINES doubled. RECEIVING FRESH WATER, AIR TELEPHONE AND ELECTRICAL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. MATERIAL CONDITION YOKE (Modified) IS SET

Robert M Turner Ens USNR

04-08 MOORED AS before.* 0730 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.* 0650 MUSTERED THE CREW AT QUARTERS ABSENTEES. NONE.

Robert M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rasmussen Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 16 (Date) MAY (Month), 1963

0800-1200 MOORED AS BEFORE

L E Harton
Ens USN

1200-1600 MOORED AS BEFORE

L E Harton
Ens USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE - MODIFIED THRU OUT THE SHIP.

L E Harton
Ens USN

2000-2400 MOORED AS BEFORE.

L E Harton
Ens USN

APPROVED: C Reed Lt U.S.N. COMMANDING

EXAMINED: R J Nason Jr U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 17 (Date) MAY (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	4	10	BKN	2990	75	74	6	1050	CU			
02	100	5	10	BKN	2993	74	72	6	1050	CU			
03	115	5	10	BKN	2994	74	71	6	1050	CU			
04	115	5	10	BKN	2996	73	70	7	1050	CU			
05	100	5	10	BKN	2998	73	69	7	1400	CU			
06	090	5	10	BKN	3000	74	70	7	1400	CU			
07	090	5	10	BKN	3001	75	71	7	1400	CU			
08	100	7	10	BKN	3000	76	72	6	1400	CU			
09	090	8	10	BKN	2999	80	74	6	2100	CU			
10	080	8	10	BKN	2997	80	74	6	2100	CU			
11	080	7	10	BKN	2995	79	73	6	2100	SC			
12	070	7	10	BKN	2993	79	73	8	2100	SC			
13	080	7	10	BKN	2992	77	72	8	1750	SC			
14	070	10	10	BKN	2993	77	72	8	1750	ST			
15	070	10	10	BKN	2992	76	71	8	1750	ST			
16	070	6	10	BKN	2992	76	71	9	1750	ST			
17	070	6	10	BKN	2992	76	71	9	1750	ST			
18	070	6	7	BKN	2992	75	70	9	1750	ST			
19	070	5	7	BKN	2992	75	69	9	1400	ST			
20	070	5	7	BKN	2992	75	69	9	2100	ST			
21	070	5	7	BKN	2992	75	69	9	2100	ST			
22	070	6	7	BKN	2993	75	69	9	2100	ST			
23	070	6	7	BKN	2993	74	68	9	2100	ST			
24	070	6	7	BKN	2993	74	68	9	2100	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: NONE

REMARKS

ØØ-Ø4. MOORED PORT SIDE TO IN BERTH BRAVO-TEN, US NAVAL SHIPYARD, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING ELECTRICAL POWER, FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT

J E Hoxie
Ens USN

Ø4-Ø8 MOORED AS BEFORE. Ø65Ø ~~QUARTERS FOR~~ MUSTERED CREW AT QUARTERS. ABSENTEES: NONE. Ø745 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: CONDITION SATISFACTORY JEH

J E Hoxie Ens USN.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R J Mason Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI CATF-96 FRIDAY (Day) 17 (Date) MAY (Month), 19 63

08-12
MOORED AS BEFORED.

R D Mason
LT(jg), USNR

12-16
MOORED AS BEFORE. 1250 COMMENCED fueling FROM YO-78, DRAFT 13' 3" FOWARD, 15' 11" AFT. 1513 Fueling completed DRAFT 12' 9" FOWARD, 18' AFT.

R D Mason
Ltjg, USNR

16-20
MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (modified).

R D Mason
Ltjg, USNR

20-24 MOORED AS BEFORE
R D Mason
Ltjg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Saturday (Day) 18 (Date) May (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO —

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	2	10	BKN	2993	75	70	7	1750	Sc			
02	080	2	10	BKN	2993	75	70	7	1750	Sc			
03	090	2	10	BKN	2993	74	69	7	1750	Sc			
04	100	2	10	BKN	2993	73	68	7	1750	Sc			
05	100	2	8	BKN	2993	75	69	8	2100	ST			
06	100	3	8	BKN	2994	76	70	8	2100	ST			
07	110	3	8	BKN	2994	77	71	8	2100	ST			
08	120	3	8	BKN	2995	78	72	9	2100	ST			
09	100	6	8	BKN	2996	79	72	8	2500	CU			
10	080	6	8	BKN	2997	81	73	8	2800	CU			
11	060	6	8	BKN	2997	81	72	6	3000	CU			
12	070	10	8	BKN	2997	81	73	8	2800	CU			
13	070	9	8	BKN	2997	83	74	8	3400	CU			
14	060	8	8	BKN	2994	83	74	8	3400	CU			
15	080	6	8	BKN	2994	82	74	7	3000	CU			
16	090	6	8	BKN	2994	82	74	7	3000	CU			
17	090	4	8	BKN	2995	81	73	6	3000	CU			
18	090	4	8	BKN	2995	80	73	6	2400	CU			
19	085	4	8	BKN	2998	77	72	6	1750	CU			
20	085	4	5	BKN	2998	77	72	6	1750	CU			
21	085	4	5	BKN	2998	76	71	6	1750	CU			
22	085	4	5	BKN	2998	76	71	6	1750	CU			
23	085	4	5	BKN	2998	76	71	6	1750	CU			
24	085	3	4	BKN	2998	75	70	6	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: NONE

REMARKS

00-04 Moored portside to Berth B-10, U.S. Naval Shipyard, Pearl Harbor, Hawaii, standard mooring lines doubled. Material condition Yoke (Modified) is set. Receiving electrical power, fresh water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet; yard and district craft. SOPA is CINCPACFLT.

R D Mason
Stjg, USNR

04-08 Moored as before. *0745 Mustered the crew at quarter; absentees: none. *0710 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

R D Mason, Stjg, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 18 (Date) MAY (Month), 19 63

08-12 moored as before 0930 made daily inspection of magazines and Smokless powder samples, conditions: normal.

J.L. Hollis, CWO2, USN

12-16 moored as before.

J.L. Hollis, CWO2, USN

16-20 moored as before. 1800 set condition Yoke modified throughout the ship.

J.L. Hollis, CWO-2, USN

20-24 moored as before.

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Jason Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Sunday (Day) 19 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	085	3	7	SCT	2998	75	70	4	1750	CU			
02	085	3	7	SCT	2998	74	70	4	1400	CU			
03	085	2	7	SCT	2998	74	70	4	1400	CU			
04	085	2	7	SCT	2998	73	70	4	1050	CU			
05	085	2	7	SCT	2998	73	69	4	1400	CU			
06	085	2	10	SCT	2998	73	69	4	1400	CU			
07	080	2	10	SCT	2999	74	70	4	1400	CU			
08	080	8	10	SCT	2999	76	71	4	1750	CU			
09	080	10	10	SCT	2999	77	72	4	1750	CU			
10	080	10	10	SCT	2999	79	73	4	2100	CU			
11	080	10	10	BKN	2999	81	75	6	2100	CU			
12	080	9	10	BKN	2999	81	75	6	2100	CU			
13	080	7	10	BKN	2999	81	75	6	2100	CU			
14	080	4	10	BKN	2999	81	75	6	2100	CU			
15	080	5	10	BKN	2998	79	73	6	2100	CU			
16	080	5	10	BKN	2998	79	73	6	2100	CU			
17	080	6	10	BKN	2998	79	73	6	2100	CU			
18	080	5	10	BKN	2998	78	73	6	1750	CU			
19	080	5	10	BKN	2998	78	73	6	1750	CU			
20	080	4	10	SCT	2998	77	73	4	1400	CU			
21	080	4	10	SCT	2998	77	73	4	1400	CU			
22	080	3	10	SCT	2998	77	73	4	1400	CU			
23	100	3	10	SCT	2998	76	72	3	1400	CU			
24	120	3	10	SCT	2998	76	73	4	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
∅

FUEL CONSUMED 0000–2400
NONE

REMARKS

00-04 moored, port side berth Bravo Ten (B-10) U.S. Naval Shipyard Pearl Harbor, Hawaii, using ~~four~~ std. lines doubled. Receiving Electrical power, Steam and telephone services from the pier, condition yo-he (modified) set throughout the ship. Ships present include Various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P. Amis Cin C Pac Flt.

J.L. Hollis, CWO2 USN

04-08 moored as before: 0625 H.A.S.P. returned Smith, E.H. SKI 296-72-78, USN to the ship. Charges will follow. 0745 Mustered the Crew on stations, Unauthorized absentees: None-

J.L. Hollis, CWO2, USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason Slg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Sunday (Day) 19 (Date) May (Month), 1963

08-12 Moored as before. 0950 Made dailey inspection of magazines and smokeless powder samples; conditions normal.

Robert M. Turner Ens USN

12-16 Moored as before.

Robert M. Turner Ens USN

16-20 Moored as before. 1800 Set material condition modified "Yoke" throughout the ship.

Robert M. Turner Ens USN

20-24 Moored as before

Robert M. Turner Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI, ATF-96 ZONE DESCRIPTION HOW DATE Monday 20 May (Day) (Date) (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	3	10	SCT	2998	74	70	4	1400	CU			
02	080	3	10	SCT	2996	74	70	4	1400	CU			
03	080	3	10	SCT	2995	74	70	3	1400	CU			
04	080	3	10	SCT	2995	74	70	4	1400	CU			
05	080	2	10	SCT	2995	74	70	4	1400	CU			
06	080	2	10	SCT	2995	78	73	3	1750	CU			
07	060	3	10	SCT	2995	80	75	3	1750	CU			
08	080	5	10	SCT	2996	80	75	3	1750	CU			
09	080	9	10	SCT	2996	78	76	3	1000	CU			
10	080	10	10	SCT	2996	78	76	3	700	CU			
11	080	12	10	SCT	2996	78	76	2	1000	CU			
12	080	10	10	SCT	2996	78	77	2	1000	CU			
13	080	9	10	SCT	2996	78	76	2	1000	CU			
14	070	9	10	SCT	2995	80	77	2	1000	CU			
15	080	8	10	SCT	2994	81	79	2	1000	CU			
16	060	8	10	SCT	2995	81	79	2	1000	CU			
17	070	8	10	SCT	2996	81	79	3	1000	CU			
18	080	7	10	SCT	2997	80	77	3	1000	CU			
19	090	7	10	SCT	2997	78	76	3	1000	CU			
20	100	7	10	SCT	2998	77	74	3	1000	CU			
21	100	8	10	SCT	2999	76	73	4	1000	CU			
22	100	8	10	SCT	2999	75	73	3	1000	CU			
23	090	8	10	SCT	2999	75	73	3	1000	CU			
24	040	8	10	SCT	3000	75	73	3	1000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000–2400
ϕ

FUEL CONSUMED 0000–2400
NONE

REMARKS

00-04 Moored port side to, berth Bravo ten (B-10) U.S. Naval ~~Base~~ Ship Yard Harbor, Hawaii, passing four standard nylon lines, doubled up. Receiving Electrical power, steam and telephone service from the pier. Material Condition (modified) "Yoke" is set throughout the ship. Ships present include various units of the U.S. Pacific Fleet; Yard and district small craft. SOPA is Cin C 3rd Flt

Robert M. Turner LTJG USN

04-08 Moored as before. 0645 Mustered crew at quarters. Absentees; none.

Robert M. Turner LTJG USN

APPROVED: C C Read Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stgs. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 20 (Date) MAY (Month), 1963

08-12 MOORED AS BEFORE

J E Horton
Em USN

12-16 MOORED AS BEFORE

J E Horton
Em USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED CONDITION X YOKE THRU OUT THE SHIP.

J E Horton
Em USN

20-24 MOORED AS BEFORE

J E Horton
Em USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: R D Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 21 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	5	10	SCT	3000	75	73	2	1000	CU			
02	080	5	10	SCT	3000	76	73	2	1000	CU			
03	080	6	10	SCT	3001	76	73	3	1000	CU			
04	090	5	10	SCT	3002	76	74	2	1000	CU			
05	070	3	10	SCT	3003	76	74	3	1000	CU			
06	070	3	10	SCT	3003	78	75	3	1000	CU			
07	070	3	10	SCT	3003	79	75	4	1400	CU			
08	060	2	10	BKN	3001	79	74	7	1750	CU			
09	050	2	7	OVC	3000	80	76	10	1400	CU			
10	040	2	5	OVC	3000	80	76	10	1400	CU			
11	030	2	5	OVC	3000	82	78	10	1400	CU			
12	040	3	5	OVC	3000	81	77	10	1400	CU			
13	050	7	5	BKN	3000	81	77	8	1400	CU			
14	050	8	10	BKN	3000	81	77	7	1400	CU			
15	060	8	10	BKN	2998	81	77	8	1400	CU			
16	060	10	10	BKN	2997	80	76	8	1400	CU			
17	065	10	10	BKN	2996	80	76	8	1400	CU			
18	070	12	10	BKN	2996	80	76	7	1400	CU			
19	060	12	10	BKN	2996	76	72	8	1400	CU	77	070	2
20	060	16	10	BKN	2995	76	72	8	1400	CU	77	070	3
21	040	12	10	BKN	2999	76	72	6	1400	CU	77	075	3
22	040	12	10	BKN	3000	77	73	7	1400	CU	77	075	3
23	030	10	10	BKN	3001	77	73	6	1400	CU	76	070	3
24	030	10	10	BKN	3001	77	73	8	1400	CU	76	070	3

POSITION	ZONE	TIME
0800		
L ———		BY ———
λ ———		BY ———
1200		
L ———		BY ———
λ ———		BY ———
2000		
L 20-57.5 N		BY 2
λ 158-19.6 W		BY 2

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM ——— (ZT) (Date)

TO ——— (ZT) (Date)

SET ———

DRIFT ———

POSITION BETWEEN FIXES

MID. L ———

MID. λ ———

MILES STEAMED 0000–2400

DR ~~152~~ 68

FUEL CONSUMED 0000–2400

2652

REMARKS

00-04 Moored Port Side To in Berth Brav 10, US Naval Ship-Yard. Pearl Harbor Hawaii, With Standard Mooring Lines Doubled. Modified Condition Zoke Set Thru Out The Ship. Receiving Fresh Water, Electrical Power And Telephone Service From The Pier. Ships Present Include Various Units of U.S. Pacific Fleet, Yard, And District Craft. SOPA is CinCPac Flt

J E Harton Ens USN

04-08 Moored As Before. 0745 Mustered Crew At Quarters: Absentees: None

J E Harton
Ens USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Tuesday (Day) 21 (Date) MAY (Month), 19 63

0800-1200 Moored As Before. 0800 Set Special Sea And Anchor Detail. Captain And Navigator On The Bridge, Captain Has The Conn. 0828 Underway From Bravo Ten To Bravo Seven In Accordance With Verbal Orders From Port Control. Maneuvering On Various Courses At Various Speeds While Shifting Berths From Bravo Ten To Bravo Seven. 0850 Moored Port Side To In Berth Bravo Seven, U.S. Naval Shipyard, Pearl Harbor, Hawaii With Standard Mooring Lines Doubled 0855 Secured Special Sea And Anchor Detail.

J E Horton
Ens USN

0800-1200 (continued) Moored As before. 0957 Made daily inspection of magazines and smokeless powder samples conditions normal 1000 Secured main tow wire to tow bridle on USS Chadron (PC 564)

R D Mason
Stfg. USNR

1200-1600. Moored As before. 1400 Mustered the crew at quarters. Absentees: None. 1439 Set Special sea and anchor detail. 1441 U.S. Navy Tug, YTM-142 came alongside to starboard. 1455 US Navy Tug YTM-142 came alongside of Tow, USS Chadron (PC 564) 1525 US Navy Tug YTL 553 came alongside To starboard. 1530 Underway, Tugs boosted ship and Tow away from pier. Underway for Apra Harbor, Guam, M.I. in accordance with COMSERVPAC SAILORD DTG 112259Z of May 1963 with USS Chadron (PC 564) in Tow. Draft Fwd 14'5" Aft 16'5". 1531 Commenced maneuvering To clear berth. Captain (conning), Navigator on The bridge. 1538 steering various at various speeds to conform with South Channel, Pearl Harbor. 1555 C/C To 183 and commenced steering various courses to conform Entrance Channel, Pearl Harbor.

Robert M Turner Ens USNR

1600-1800 Under way as before. 1628 passed buoy number one abeam to starboard 75 feet. 1629 C/C to 157° 1631 Secured special sea and anchor detail, set underway watch C/C to 155°, 1640 International Waters. 1644 C/S 90 rpm, 11.3 kts. 1645 C/S to 12.3 KTS.

Robert M Turner Ens USNR

1800-2000 16-18 (continued) 1647 C/C to 210°. 1707 C/C to 212°. 1742 C/S to 13.3 KTS.

J E Horton Ens USN

2000-2400 Underway As before 1807 C/S To 12.8 KTS. 1809 C/S To 12.3 KTS. 1817 C/S To 13.3 KTS. 1855 C/C To 270°.

Jack Hollis, CWO 2, USN

20-24 Underway As before. 2007 C/S TO 12.3 KTS

Fitt DeLorme BM1 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason Stfg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Wednesday (Day) 22 (Date) May (Month), 19 1963

AT/PASSAGE FROM Pearl Harbor, Hawaii TO Apra Harbor, Guam

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	Ø4Ø	9	8	Sct	30.01	76	74	4	1000	Sc	77	Ø4Ø	3
02	Ø4Ø	9	8	Sct	30.01	76	74	4	1000	Sc	77	Ø4Ø	3
03	Ø4Ø	1Ø	8	Sct	30.00	76	75	5	1000	Sc	77	Ø4Ø	3
04	Ø4Ø	1Ø	1Ø	Sct	30.00	76	75	5	1100	Sc	77	Ø4Ø	3
05	Ø5Ø	12	1Ø	Sct	29.99	76	74	5	1100	Sc/cu	77	Ø45	3
06	Ø5Ø	12	1Ø	Sct	29.99	76	74	5	1200	cu	77	Ø45	3
07	Ø6Ø	14	1Ø	Sct	29.99	76	73	5	1200	cu	77	Ø45	3
08	Ø6Ø	15	11	Sct	30.00	77	73	4	1200	cu	77	Ø45	3
09	Ø65	15	13	Sct	30.00	77	74	4	1400	cu	78	45Ø	4
10	Ø75	17	15	Sct	30.02	79	76	4	1400	cu	78	Ø5Ø	4
11	Ø75	17	15	Sct	30.02	8Ø	77	5	1600	cu	78	Ø5Ø	4
12	Ø75	17	15	Sct	30.03	8Ø	77	5	1600	cu	79	Ø5Ø	4
13	Ø75	15	15	Sct	30.04	81	78	5	1750	cu	79	Ø6Ø	4
14	Ø75	15	15	Sct	30.04	81	79	5	1750	cu	79	Ø6Ø	4
15	Ø75	13	15	Sct	30.03	8Ø	79	5	1750	cu	79	Ø65	3
16	Ø75	13	14	BKN	30.03	79	78	6	1700	cu	79	Ø65	3
17	Ø8Ø	13	13	BKN	30.02	78	77	6	1500	cu	79	Ø75	3
18	Ø8Ø	12	11	BKN	30.02	78	77	6	1500	cu/sc	79	Ø75	3
19	Ø8Ø	12	11	BKN	30.02	76	75	7	1300	Sc	78	Ø75	3
20	Ø8Ø	11	11	BKN	30.02	76	75	7	1200	Sc	78	Ø75	3
21	Ø8Ø	11	1Ø	BKN	30.02	76	75	7	1100	Sc	77	Ø75	3
22	Ø8Ø	11	1Ø	BKN	30.00	76	75	7	1000	Sc	77	Ø75	3
23	Ø8Ø	11	9	BKN	30.00	75	74	6	1000	Sc	77	Ø75	3
24	Ø8Ø	11	9	BKN	30.00	75	74	6	1200	Sc	77	Ø75	3

POSITION	ZONE	TIME
0800 L 22-Ø3.7N	BY	2
λ 16Ø-2Ø.8W	BY	2
1200 L 22-Ø2.7N	BY	2
λ 162-14W	BY	2
2000 L 22-Ø2N	BY	2
λ 162-38.2W	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 247

FUEL CONSUMED 0000-2400: 2610

REMARKS

00-04 Steaming independently enroute from Pearl Harbor Hawaii to Apra Harbor Guam, USS Chadron (PC-564) in tow, in accordance with COMSERVPAC Sailord DTG 112259Z of may 1963. Base course 270°T making turns for 12.3 Kts material condition 'Yoke' (modified) is set. Condition of readiness I Engineering Condition III and damage control condition III are set.

Robert M. Turner Ens USNR

04-08 Underway as before, 0745 Mustered the crew at ON STATIONS. Absentees: None.

J. A. Hollis. CWO2 USN

APPROVED: C Reed Lt U.S.N. COMMANDING

EXAMINED: R A Mason Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 22 (Date) MAY (Month), 1963

08-12 Underway as before. 0805 c/s all stop, c/s 12.3 Kts. 0950 made daily Inspection of magazines and Smokless Powder samples, Conditions normal.

J.L. Hollis CWO2, USN

12-16 UNDER WAY AS BEFORE 1352 CONDUCTED SMALL ARMS PRACTICE 1436 SECURED FROM SMALL ARMS PRACTICE EXPENDED 100 ROUNDS OF 45 CAL. AMMUNITION

F.H. Osborne BM1 USN

16-18 Underway as before; 1554 Engine room rang all stop due to loss of load on number three auxilliary generator. Aflahead 100 rpm, 12.3 kts 162° Sighted contact, a merchant ship, challenged by light, no reply, distance 8 miles. 1645 merchant contact passed abeam to port range 7 miles. 1724 All stop, to shift excitation from number two to number one auxilliary generator, all ahead 100 rpm, 12.3 kts. R.J.

Robert M. Turner Ens USNR

18-20 UNDERWAY AS BEFORE

H.E. Horton
Ens USN

20-24 Underway as before.

J.L. Hollis, CWO-2, USN

APPROVED: C. Rad Lt. U.S.N. COMMANDING

EXAMINED: R. Nasemyth U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10W DATE THURSDAY (Day) 23 (Date) MAY (Month), 1963

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO APRA HARBOR, GUAM

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	7	8	Sct	30.00	75	74	5	1500	Cu	76	075	3
02	080	7	8	Sct	30.00	75	74	5	1500	Cu	76	075	3
03	080	7	8	Sct	30.00	76	75	5	1500	Cu	77	075	3
04	080	8	9	BKN	29.99	76	75	7	1400	Cu	77	075	3
05	080	8	10	BKN	29.99	76	75	8	1200	Cu/St	77	075	3
06	080	8	10	OVC	29.99	76	75	9	1000	St	77	075	3
07	080	9	11	OVC	30.00	76	76	9	1000	St	77	080	3
08	090	9	12	BKN	30.00	77	76	8	1000	St	77	080	4
09	090	11	14	BKN	30.01	77	76	7	1000	St	78	080	4
10	090	12	15	BKN	30.01	78	77	7	1000	St	78	080	4
11	090	12	15	BKN	30.01	78	77	6	1000	St	78	080	4
12	090	12	15	Sct	30.00	79	77	5	1100	St	78	080	4
13	080	12	15	Sct	30.00	79	77	5	1100	St	78	080	4
14	080	12	13	Sct	29.99	79	77	5	1100	St	78	080	4
15	080	12	13	BKN	29.99	78	77	7	1100	St	78	080	4
16	080	14	12	OVC	29.99	78	76	9	1100	St	78	080	4
17	080	14	11	OVC	29.99	78	76	9	1100	St	78	090	3
18	080	14	10	OVC	29.98	77	76	9	1000	St	78	090	3
19	080	12	10	BKN	29.98	77	76	8	1000	St	78	090	3
20	080	11	9	BKN	29.98	77	76	8	1000	St/Sc	78	090	3
21	080	11	8	BKN	29.98	76	75	8	1000	Sc	78	090	3
22	080	11	8	BKN	29.97	76	75	8	1200	Sc	77	090	2
23	080	11	7	BKN	29.97	76	75	7	1200	Sc	77	090	2
24	080	11	7	BKN	29.97	76	75	7	1200	Sc	77	090	2

POSITION	ZONE	TIME
0800 L	20-57N	BY 2
λ	164-33W	BY 2
1200 L	20-57N	BY 2
λ	165-21W	BY 2
2000 L	20-58N	BY 2
λ	166-43W	BY 2

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 241

FUEL CONSUMED 0000-2400: 2243

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO APRA HARBOR, GUAM, USS CHADRON (PC 564) IN TOW, IN ACCORDANCE WITH COMSERVPAC SAILORD DTG 112259Z OF MAY 1963. BASE COURSE 270°T, MAKING TURNS FOR 12.3 KTS. MATERIAL CONDITION YOKE (MODIFIED) IS SET. CONDITIONS OF READINESS V, ENGINEERING CONDITION ~~III~~, AND DAMAGE CONTROL CONDITION ~~III~~ ARE SET.

Turner (04-08)

04-08, Steaming as before. 0745 Tested ships whistle, siren and chemical alarm - tests satisfactory.

F. A. DeSpirito LTJG USN

Robert M. Turner Ens USNR

APPROVED: C. C. Read LT U.S.N. COMMANDING

EXAMINED: P. S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 23 (Date) MAY (Month), 1963

0800-1200 UNDERWAY AS BEFORE 0800 MUSTERED CREW ON STATIONS: ABSENTEES: NONE. 0927 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL CONDUCTED WEEKLY MAGAZINE SPRINKLER SYSTEM TEST: TEST SATISFACTORY

J E Horton
Ens USN

1200-1600 Underway as before.

J. C. Hollis, CWO2 USN

1600-1800 UNDERWAY AS BEFORE 1600 RETARDED SHIPS CLOCKS ONE HOUR TO CONFORM WITH +11 XRAY TIME ZONE

J A Delaune BM1 USN

1800-2000 Underway as before.

Robert M Turner Ens USNR

2000-2400 UNDERWAY AS BEFORE

J E Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11-X DATE FRIDAY 24 MAY, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	11	7	BKN	29.97	76	75	6	1200	Sc	77	090	2
02	080	11	8	BKN	29.96	76	75	6	1200	Sc	77	090	2
03	080	12	8	BKN	29.96	77	76	6	1100	Sc	77	080	2
04	080	12	8	BKN	29.94	77	76	7	1100	Sc/cu	77	080	2
05	080	14	9	BKN	29.93	77	76	7	1100	cu	77	080	3
06	080	14	9	BKN	29.92	77	76	8	1100	cu	77	080	3
07	085	14	10	BKN	29.92	77	76	8	1200	cu	77	080	3
08	085	16	11	BKN	29.93	77	76	8	1200	cu	77	080	3
09	085	17	13	BKN	29.95	78	76	8	1200	cu	77	080	4
10	085	17	15	BKN	29.95	78	77	8	1100	cu	78	080	4
11	085	17	15	BKN	29.96	78	77	8	1100	cu	78	080	4
12	085	19	15	OVC	29.96	78	77	9	1000	cu/ST	78	080	4
13	085	19	15	OVC	29.96	79	78	9	1000	ST	78	080	4
14	085	20	15	BKN	29.95	79	78	8	1000	ST	78	080	4
15	080	20	15	BKN	29.93	78	78	8	1100	ST	78	080	4
16	080	19	14	BKN	29.92	78	77	8	1200	ST	78	080	4
17	080	17	14	BKN	29.92	78	77	7	1200	ST	78	080	4
18	080	17	13	BKN	29.91	78	77	7	1300	ST	78	080	4
19	080	15	11	BKN	29.91	78	77	6	1300	ST	78	080	4
20	080	15	10	BKN	29.91	77	76	6	1400	ST	78	080	4
21	080	15	10	Sct	29.92	77	76	5	1600	ST	77	080	4
22	080	15	9	Sct	29.93	77	76	5	1600	ST	77	080	4
23	080	14	9	Sct	29.93	77	76	5	1600	ST	77	080	4
24	080	14	8	Sct	29.94	77	76	5	1750	ST	77	080	4

POSITION	ZONE	TIME
0800 L	20°-58N	BY 2
λ	168°-42W	BY 2
1200 L	21°-00N	BY 2
λ	169-29W	BY 2
2000 L	20-55N	BY 2/4
λ	170-57W	BY 2/4

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 244

FUEL CONSUMED 0000–2400: 2634

REMARKS

00-04 STEMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO APRA HARBOR, GUAM, M.I. USS CHADRON (PC-564) IN TOW, IN ACCORDANCE WITH COMSERVPAC SAILORD DTG 112259Z of MAY 1963. BASE COURSE 270° T, MAKING TURNS FOR 12.3 Kts. MATERIAL CONDITION YOKE (MODIFIED) SET. CONDITIONS OF READINESS V, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III ARE SET. 0100 Sighted ship bearing 290° T DISTANCE 17 miles - Contact CPA 007 distance 3 miles - Challenged vessel, NO Reply - 0215 Lost RADAR contact ~~@ 0210~~ Ran BEARING 080 Distance 16 miles.

J. L. Hollis, CWO-2, USN

04-08 UNDER WAY AS BEFORE. 0744 TESTED WHISTLE & GENERAL ALARMS. 0745 QUARTERS FOR MUSTER. ABSENTees: NONE.

F. A. Delorme BMI, USN

APPROVED: C. C. Reed Ll. U.S.N. COMMANDING

EXAMINED: R. D. Mason, Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 24 (Date) MAY (Month), 1963

08-12 Underway as before. ϕ837 Made daily inspection of magazines and smokeless powder samples. Conditions Normal.

Robert M. Turner Ens USN

12-16 Underway as before. 1400 Commenced Commanding officers Material Inspection. 1506 C/C to 265° FEN

H.E. Hatton
Ens USN

16-18 UNDERWAY AS BEFORE.

J.L. Hollis CWO-2 USN

18-20 UNDER WAY AS BEFORE

F.A. DeSimone BM1 USN

20-24 Underway as before

Robert M. Turner Ens USN

APPROVED: Reed Lt. U.S.N. COMMANDING

EXAMINED: Robert D. Moon, Stgj U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +11 DATE SATURDAY 25 MAY (Day) (Date) (Month), 19 63

~~AT~~/PASSAGE FROM PEARL HARBOR HAWAII TO APRA HARBOR. GUAM M.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	14	8	BKN	29.94	77	76	6	1750	ST	77	080	4
02	080	14	8	BKN	29.93	78	77	6	1600	ST	77	080	4
03	080	14	9	BKN	29.92	78	77	6	1400	ST	77	080	4
04	080	14	9	BKN	29.90	78	77	7	1400	ST/Cu	77	080	4
05	080	15	10	BKN	29.90	78	77	7	1200	Cu	77	080	4
06	080	15	10	BKN	29.90	78	77	7	1200	Cu	77	080	3
07	070	16	11	BKN	29.90	78	77	8	1100	Cu	77	080	3
08	070	16	11	BKN	29.91	77	77	8	1000	Cu	77	080	3
09	070	16	11	BKN	29.92	77	76	8	1000	Cu	77	080	3
10	070	17	11	BKN	29.92	77	76	8	1000	Cu/ST	77	080	3
11	070	17	12	BKN	29.91	77	75	9	800	ST	77	080	3
12	070	17	12	OVC	29.91	77	75	9	800	ST	77	080	4
13	075	19	10	OVC	29.90	77	75	9	800	ST	77	080	4
14	075	19	10	OVC	29.90	77	76	10	600	ST	77	080	4
15	075	19	10	L	29.90	78	76	10	600	ST	77	080	4
16	075	17	9	L	29.89	78	77	10	600	ST	77	080	4
17	075	17	9	OVC	29.89	78	77	10	800	ST	77	080	4
18	075	17	10	OVC	29.89	77	77	9	800	ST	77	080	4
19	075	17	10	BKN	29.88	77	76	9	1000	ST	77	080	4
20	080	17	10	BKN	29.88	76	76	8	1000	ST/Sc	77	080	3
21	080	17	10	BKN	29.88	76	75	8	1100	Sc	77	080	3
22	080	16	10	BKN	29.89	76	75	8	1100	Sc	77	080	3
23	080	16	9	BKN	29.90	76	75	7	1200	Sc	77	080	3
24	080	16	9	BKN	29.90	76	75	7	1200	Sc	77	080	3

POSITION	ZONE	TIME
0800 L	20-43.7N	BY 4
λ	173-09W	BY 4
1200 L	20-42.4N	BY 2
λ	173-55.6W	BY 2
2000 L	20-31.5	BY 4
λ	175-37	BY 4

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 250

FUEL CONSUMED 0000-2400: 2522

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII, TO APRA HARBOR, GUAM M.I. WITH USS CHADRON (PC 564) IN TOW, IN ACCORANCE WITH COMSERVPAC SAILING ORDER PTG 112259Z OF MAY 1963. BASE COURSE 265° BASE SPEED 12.3 KNOTS. MATERIAL CONDITION YOKE SET THRU OUT THE SHIP. CONDITIONS OF READINESS V, ENGINEERING AND DAMAGE CONTROL CONDITION III ARE SET.

L. E. Horton
Ens USN

04-08 UNDERWAY AS BEFORE. 0745 tested ship whistle, siren, General and Chemical alarms, Test satisfactory

J. D. Hollis, CWO2-USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) SATURDAY (Day) 25 (Date) MAY (Month) 19 63

08-12 UNDERWAY AS BEFORE 0800 MUSTERED CREW ON STATIONS; NO: ABSENTEE'S 0916 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITIONS: NORMAL

J.H. DeJarnette BM1, USN

12-16 Underway as before

Robert M. Turner Ens USN

16-20 UNDERWAY AS BEFORE 1600 RETARDED ALL ~~CLOCKS~~ CLOCKS ONE HOUR TO CONFORM WITH PLUS TWELVE TIME ZONE

J.E. Hatton
Ens USN,

16-18 ~~16-20 (Cont) 1725 assumed the command duty~~ Underway as before.

J.L. Hollis, CWO2 USN

20-24 UNDER WAY AS BEFORE

J.H. DeJarnette BM1 USN

APPROVED: C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Jason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION T12 DATE SUNDAY (Day) 26 (Date) MAY (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO APRA HARBOR, GUAM M.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	Ø8Ø	16	9	BKN	29.89	76	75	7	1100	SC	77	Ø8Ø	3
02	Ø8Ø	16	9	BKN	29.88	77	76	8	900	SC/ST	77	Ø8Ø	3
03	ØFØ	15	7	OVC	29.88	77	76	9	900	ST	77	Ø8Ø	4
04	Ø85	15	4	K	29.89	77	76	1Ø	700	ST	77	Ø8Ø	4
05	Ø85	15	4	R	29.89	77	77	1Ø	700	ST	77	Ø8Ø	4
06	Ø85	17	4	R	29.89	77	77	1Ø	700	ST	78	Ø8Ø	4
07	Ø85	17	7	OVC	29.89	77	77	1Ø	700	ST	78	Ø8Ø	5
08	Ø85	19	9	BKN	29.90	78	77	9	800	ST	78	ØFØ	5
09	Ø85	21	1Ø	BKN	29.90	78	77	9	800	ST	78	Ø8Ø	5
10	Ø85	21	1Ø	BKN	29.90	78	77	1Ø	800	ST	78	Ø8Ø	5
11	Ø85	23	12	R	29.91	78	77	1Ø	800	ST	78	Ø8Ø	5
12	Ø85	23	13	R	29.91	78	77	1Ø	800	ST	78	Ø8Ø	5
13	Ø85	21	14	OVC	29.91	78	78	1Ø	800	ST	78	Ø8Ø	5
14	Ø8Ø	19	14	BKN	29.92	78	78	1Ø	900	ST	78	Ø8Ø	5
15	Ø8Ø	17	14	BKN	29.92	78	78	9	900	ST	78	Ø8Ø	5
16	Ø8Ø	17	12	BKN	29.91	79	78	9	1100	ST	78	Ø8Ø	4
17	Ø8Ø	2Ø	1Ø	BKN	29.90	79	78	9	1100	ST	78	Ø8Ø	4
18	Ø8Ø	21	1Ø	BKN	29.89	79	78	8	1200	ST/CU	78	Ø8Ø	5
19	Ø8Ø	21	1Ø	BKN	29.89	78	78	7	1200	CU	78	Ø8Ø	5
20	Ø8Ø	21	9	BKN	29.89	78	77	7	1200	CU	78	Ø8Ø	5
21	Ø8Ø	22	9	BKN	29.89	78	77	7	1200	CU	78	Ø8Ø	5
22	Ø8Ø	2Ø	8	BKN	29.90	78	77	7	1350	CU	78	Ø8Ø	5
23	Ø8Ø	19	8	BKN	29.90	78	77	6	1350	CU	78	Ø8Ø	5
24	Ø8Ø	17	7	BKN	29.90	78	77	6	1350	CU	78	Ø8Ø	5

POSITION	ZONE	TIME
0800 L	2Ø-18 N	BY 4
λ	177-50.5 W	BY 4
1200 L	2Ø-19.5 N	BY 4
λ	178-35 W	BY 4
2000 L	19-20.5 N	BY 4
λ	179-13 W	BY 4

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 242

FUEL CONSUMED 0000-2400: 2312

REMARKS

ØØ-Ø4 Steaming independently enroute from Pearl Harbor Hawaii to Apra Harbor, Guam M.I with USS CHADRON (DL-564) in tow. in accordance with COMSERVPAC Sailing Order DTG 112259Z of May 1963. Base course 265° Base speed 12.3 knots Material Condition Zebra modified set ~~from~~ through and the ships Conditions of readiness I, Engineering and damage control condition III are set RSW

Robert M. Turner Ens USN

Ø4-Ø8 UNDERWAY AS BEFORE

H. C. Horton
Ens USN.

APPROVED: C. C. Reed Lt U.S.N. COMMANDING

EXAMINED: R. D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 26 (Date) MAY (Month), 1963

08-12

Underway as before. 0800 Mustered the crew on station absentees; none. 0905 Made daily inspection of magazines and smokeless powder samples; conditions normal.

Hollis

J.D. Hollis, CWO2, USN

12-16

Underway as before

Delaire

J.F. Delaire BM1 USN

16-18

Underway as before. 1605 Sighted contact bearing 243° distance about 10 miles. 1625 Indentified contact as USS W.A. Mann (TAP 112). 1636 Passed USS Mann abeam to port distance about 3 miles.

Turner

Robert M. Turner Ens USNR

18-20

Underway as before.

Morton

T.E. Morton
Ens USN

20-24

Underway as before

Hollis

J.D. Hollis, CWO2, USN

APPROVED: C. Reed Lt. U.S.N. COMMANDING

EXAMINED: P.S. Mason Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION -12 DATE Tuesday (Day) 28 (Date) May (Month), 19 1963

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	Ø5Ø	11	9	BKN	29.89	78	77	8	1200	Sc	80	Ø8Ø	2
02	Ø5Ø	11	9	BKN	29.89	78	77	8	1200	Sc	80	Ø8Ø	2
03	Ø8Ø	12	9	BKN	29.89	79	77	7	1200	Sc	80	Ø8Ø	3
04	Ø8Ø	12	10	BKN	29.90	79	78	7	1200	Sc	80	Ø8Ø	3
05	Ø85	13	11	BKN	29.90	79	78	7	1200	Sc	80	Ø8Ø	3
06	Ø85	13	11	BKN	29.90	79	78	7	1700	Sc	80	Ø8Ø	3
07	Ø85	15	12	BKN	29.91	79	78	7	1300	Sc	80	Ø8Ø	3
08	Ø85	15	12	BKN	29.91	80	78	6	1300	Sc	80	Ø8Ø	3
09	Ø85	15	12	BKN	29.90	80	79	6	1300	Sc	80	Ø8Ø	3
10	Ø85	17	12	BKN	29.89	80	79	6	1300	Sc/St	80	Ø75	3
11	Ø85	17	13	BKN	29.89	81	79	6	1400	St	80	Ø75	3
12	Ø85	19	13	Sct	29.89	81	80	5	1400	St	80	Ø75	3
13	Ø85	19	14	Sct	29.89	81	80	5	1500	St	80	Ø75	4
14	Ø85	20	14	Sct	29.90	81	80	5	1500	St	80	Ø75	4
15	Ø8Ø	21	14	Sct	29.90	80	80	5	1500	St	80	Ø75	4
16	Ø8Ø	19	14	Sct	29.90	80	79	5	1500	St	80	Ø75	4
17	Ø8Ø	19	14	Sct	29.90	80	79	4	1400	St	80	Ø75	4
18	Ø8Ø	17	14	Sct	29.91	79	78	4	1400	St	80	Ø75	4
19	Ø8Ø	17	14	Sct	29.91	79	78	4	1300	St	80	Ø75	4
20	Ø8Ø	16	13	Sct	29.91	79	78	3	1300	St	80	Ø75	4
21	Ø8Ø	15	13	Sct	29.91	79	78	3	1200	St	80	Ø75	4
22	Ø8Ø	15	12	Sct	29.91	79	78	2	1200	St	80	Ø75	3
23	Ø8Ø	14	12	CLR	29.91	79	78	1	1200	St	80	Ø75	3
24	Ø8Ø	13	12	CLR	29.91	79	78	1	1100	St	80	Ø75	3

POSITION	ZONE	TIME
0800 L	19-59N	BY _____
λ	179-04E	BY _____
1200 L	20-01N	BY _____
λ	178-26.8E	BY _____
2000 L	19-43.3N	BY _____
λ	177-01E	BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 217

FUEL CONSUMED 0000-2400: 2295

REMARKS

00-04

STEAMING INDEPENDENTLY ENROUTE FROM Pearl Harbor, Hawaii to Apra Harbor Guam, M.I. with USS Chadron (DLG 564) IN TOW IN ACCORDANCE CONSERUPAC SAILORD 112259Z of May 1963. BASE COURSE 260, BASE speed 12.3 KTS, 105 RPMS. MATERIAL CONDITION YOKE (Modified) IS SET. CONDITION of Readiness II, ENGINEERING CONDITION III, AND DAMAGE CONTROL condition III are SET. 0001 ADVANCED ~~TO conform~~ Ships clocks ONE (1) DAY TO CONFORM with -12 TIME ZONE.

DeLorme

J A DeLorme BMI USN

04-08

UNDERWAY AS before

L E Hanton
En USN

APPROVED: C G Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason Stgt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 28 (Date) MAY 1963 (Month), 19 63 FEB

0800-12 Underway As before. 0800 Mustered the crew on Stations: Absentee: None 0900 Made daily inspection of Magazines and smokeless powder samples: Conditions Normal 1003 Took tow ing engine off Automatic place tow on the brake.

L E Horton
Ens USN

12-16 UNDERWAY AS BEFORE.

J.L. Hollis, CWO-2, USN

16-18 UNDERWAY AS BEFORE 1610 CONTACT BEARING 284°T CONTACT CHALLENGED NO REPLY CPA 8 300 YDS.

F M Osborne BM1
USN

18-20 Underway as before

Robert M Turner Ens USNR

20-24 UNDERWAY AS BEFORE.

L E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Jr Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -12 DATE WEDNESDAY 29 MAY , 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO APRA HARBOR GUAM M.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	Ø8Ø	15	13	CLR	29.91	79	78	1	1100	ST	80	Ø75	3
02	Ø8Ø	15	7	R	29.90	79	79	8	9ØØ	ST	80	Ø75	3
03	Ø8Ø	15	1Ø	BKN	29.89	79	79	7	9ØØ	ST/SC	80	Ø75	3
04	Ø8Ø	15	12	BKN	29.89	79	79	6.	1000	SC	80	Ø75	3
05	Ø8Ø	15	15	SCT	29.90	80	79	5	1100	SC	80	Ø75	3
06	Ø8Ø	15	15	SCT	29.91	80	79	5	1100	SC	80	Ø75	3
07	Ø8Ø	16	15	SCT	29.92	80	79	5	1200	SC	80	Ø75	3
08	Ø8Ø	16	15	SCT	29.92	80	80	5	1300	SC	80	Ø75	3
09	Ø8Ø	16	15	SCT	29.92	81	80	5	1300	SC	80	Ø75	3
10	Ø8Ø	16	15	SCT	29.92	81	80	5	1300	SC	80	Ø75	3
11	Ø8Ø	17	15	SCT	29.92	82	80	5	1300	SC	80	Ø75	4
12	Ø8Ø	17	15	SCT	29.91	82	81	5	1300	SC	80	Ø7Ø	4
13	Ø8Ø	17	15	SCT	29.91	83	81	5	1300	CU	80	Ø7Ø	4
14	Ø75	18	15	BKN	29.90	83	82	6	1200	CU	80	Ø7Ø	4
15	Ø75	18	15	BKN	29.89	82	82	7	1200	CU	80	Ø7Ø	4
16	Ø75	16	15	BKN	29.89	81	81	7	1100	CU	80	Ø7Ø	4
17	Ø75	15	15	BKN	29.90	80	80	8	1000	CU	80	Ø7Ø	4
18	Ø75	15	15	BKN	29.90	79	79	8	1000	CU	80	Ø7Ø	4
19	Ø75	13	15	BKN	29.91	79	78	9	900	CU	80	Ø7Ø	4
20	Ø75	13	13	OVC	29.91	79	78	9	900	CU/ST	80	Ø7Ø	4
21	Ø75	13	12	R	29.91	79	78	1Ø	900	ST	80	Ø7Ø	4
22	Ø75	13	1Ø	RW	29.92	79	78	1Ø	800	ST	80	Ø7Ø	4
23	Ø75	13	1Ø	OVC	29.92	79	78	1Ø	800	ST	80	Ø7Ø	4
24	Ø75	13	9	OVC	29.92	79	78	9	900	ST	80	Ø7Ø	4

POSITION	ZONE	TIME
0800 L	19-24N	BY
λ	174-54E	BY
1200 L	19-18.7N	BY
λ	174-13.3E	BY
2000 L	19-Ø8.3N	BY
λ	172-45E	BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 246

FUEL CONSUMED 0000-2400: 2680

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR HAWAII to APRA HARBOR, GUAM, M.I., USS CHADRON (PC-564) IN TOW IN ACCORDANCE WITH COMSERVPAC SAILORD DTG. 112259Z of MAY 1963. BASE COURSE 260°T, MAKING TURNS FOR 12.8 Kts. MATERIAL CONDITION YOKE (MODIFIED) IS SET. CONDITION OF READINESS V, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III ARE SET.

J.L. Hollis, QMO2 USN

04-08 UNDERWAY AS BEFORE 0745 MUSTERED CREW ON STATION; NO: ABSENTEE'S TESTED SHIP'S WHISTLE SIREN GENERAL CHEMICAL AND STEERING ALARMS

F.A. DeLorme BM1 USN

APPROVED: C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Mason, Stg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 29 (Date) MAY (Month) 19 63

08-12 Underway as before ~~0745 Mustered crew on station, absentees; none; Tested ship Whistle Siren, General, Steering and Chemical alarm. test satisfactory~~ RJ RJ RJ

0800 Exercise crew at General Quarters. 0825 Secured from ~~General~~ Quarters. 0912 Received daily magazines and Smokeless powder inspection report, conditions normal.

Robert M Tiemer Ens USN

12-16 UNDERWAY AS BEFORE

J E Stanton Ens USN

16-20 UNDERWAY AS BEFORE. 1601 Retarded all clocks one (1) hour to Conform with Time zone -11 Lima.

J.L. Hollis, CWO2 USN

18-20 UNDER WAY AS BEFORE

F.M. Osborne BM1 USN

20-24 Underway as before.

Robert M Tiemer Ens USN

APPROVED: C C Bud Lt. U.S.N. COMMANDING

EXAMINED: R S Nave Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -11 DATE THURSDAY (Day) 30 (Date) MAY (Month), 19 63

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO APRA HARBOR, GUAM

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	18	10	BKN	2991	79	79	6	1000	CU	~~075~~ 80	075	3
02	080	15	10	BKN	2990	80	79	7	1000	CU	~~075~~ 80	075	3
03	080	16	9	BKN	2990	80	79	7	1000	CU	~~075~~ 80	075	3
04	080	13	10	SCT	2990	80	79	4	1500	CU	80	080	2
05	080	12	10	SCT	2991	80	79	4	1500	SC	80	080	2
06	080	10	10	SCT	2992	80	79	3	1500	SC	80	080	2
07	080	10	15	SCT	2992	80	79	4	1500	SC	80	080	2
08	080	12	15	SCT	2992	82	80	4	1500	SC	80	080	2
09	080	12	15	SCT	2992	83	80	4	1700	SC	80	080	2
10	080	13	15	SCT	2992	84	81	5	1700	ST	80	080	2
11	080	13	15	SCT	2992	84	81	5	1700	ST	~~080~~ 80	080	2
12	085	11	15	BKN	2992	84	83	6	1500	ST	80	085	1
13	085	12	15	BKN	2991	83	83	6	1400	SC	80	085	2
14	085	13	15	BKN	2992	82	82	6	1400	CU	80	085	2
15	085	15	15	BKN	2990	82	81	6	1500	CU	80	085	2
16	080	14	15	BKN	2989	81	80	8	1500	CU	80	070	2
17	080	14	15	BKN	2990	81	80	8	1500	CU	80	060	2
18	080	12	15	BKN	2991	81	80	8	1500	CU	80	060	2
19	070	12	15	BKN	2991	81	80	8	1500	CU	80	060	2
20	070	15	13	BKN	2992	81	80	7	1500	CU	80	070	2
21	070	15	10	BKN	2992	81	80	6	1500	CU	80	070	3
22	090	15	10	SCT	2993	80	80	3	1500	CU	80	090	3
23	090	14	10	SCT	2992	80	80	4	1500	CU	80	090	2
24	080	15	10	SCT	2991	80	80	4	1500	CU	80	090	2

POSITION	ZONE	TIME
0800		
L 18°-46' N		BY
λ 170°-34'E		BY
1200		
L 18°45.5'N		BY
λ 169-46.5E		BY
2000		
L 18°-33'N		BY
λ 168°-27.3E		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400
256

FUEL CONSUMED 0000-2400
3042

REMARKS

00-04 STEAMING INDEPENDENTLY FROM PEARL HARBOR, HAWAII TO APRA HARBOR, GUAM. M.I. WITH USS CHADRON (PC 564) IN TOW, IN ACCORDANCE WITH COMSERV PAC SAILING ORDER DTG 112259Z OF MAY 1963. BASE COURSE 260° BASE SPEED 12.8 KNOTS. MATERIAL CONDITION YOKE MODIFIED SET THRU OUT THE SHIP, READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITION III SET.

J E Horton
Ens USN

04-08 UNDERWAY AS BEFORE, 0745 tested ships whistle, siren General and Chemical alarms, Sat Satisfactory. 0750 mustered the crew on stations, Absentees. None.

Jal. Hallis. CWO 2, USN

APPROVED: C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Rose U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) THURSDAY (Day) 30 (Date) MAY (Month), 1963

08-12 UNDER WAY AS BEFORE. 0920 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL 0920 MADE WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM; CONDITIONS SATISFACTORY

F H DeJarnette BM1 USN

12-16 Underway as before

Robert Jr Turner Ens USN

16-20 Underway As before

F E Hanton Ens USN

16-20 (cont). 1900 Sighted high flying fast object with brilliance of the first magnitude at approximately Bearing 310°T traveling from a northwest to South East course. object disappeared on bearing approximately 110°T. Believed to be Space object.

J. L. Hollis, CWO-2, USN

20-24 UNDER WAY AS BEFORE 2130 c/c 257°T

F H DeJarnette BM1 USN

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -11 DATE Friday 31 May (Day) (Date) (Month), 19 63

~~AT~~/PASSAGE FROM Pearl Harbor Hawaii TO Apra Harbor Guam

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	14	10	SCT	2990	80	79	4	1500	SC	80	090	3
02	090	19	10	SCT	2989	80	79	5	1500	SC	80	090	3
03	090	22	10	BKN	2989	80	79	6	1300	SC	80	090	3
04	090	20	10	BKN	2988	80	79	8	1200	SC	80	090	3
05	090	21	11	BKN	2988	80	79	8	1100	SC	80	090	3
06	090	21	14	BKN	2989	81	80	8	1100	SC	80	090	3
07	090	21	15	BKN	2990	82	81	8	1100	SC	80	095	4
08	090	17	10	BKN	2992	82	81	7	1000	SC	80	090	2
09	090	15	10	BKN	2992	82	81	7	1000	SC	80	090	3
10	095	20	10	BKN	2993	83	82	7	1000	SC	80	095	4
11	095	20	10	BKN	2992	83	82	6	1200	SC	80	095	4
12	095	19	10	BKN	2991	83	83	8	1200	SC	80	095	4
13	095	17	12	OVC	2990	83	83	10	1000	ST	80	095	4
14	095	15	12	BKN	2988	83	83	8	1000	SC	80	095	2
15	090	14	12	BKN	2988	83	83	7	1500	SC	80	090	2
16	090	14	12	BKN	2988	83	82	7	1500	SC	80	090	2
17	090	13	11	BKN	2989	82	81	7	1400	SC	80	090	2
18	090	13	10	BKN	2989	82	81	7	1400	SC	80	090	2
19	090	13	10	BKN	2989	82	81	8	1400	SC	80	090	2
20	090	15	10	SCT	2990	81	80	3	1200	SC	80	090	2
21	090	15	10	SCT	2990	81	80	3	1200	SC	80	090	2
22	085	17	10	SCT	2990	81	81	3	1200	SC	80	090	3
23	090	16	10	SCT	2991	81	80	3	1200	CU	80	090	3
24	090	16	10	SCT	2989	81	80	3	1200	CU	80	090	2

POSITION	ZONE	TIME
0800		
L 18-11.7 N	BY	2
λ 166-15 E	BY	2
1200		
L 18-03.5 N	BY	1-2
λ 165-28.5 E	BY	1-2
2000		
L 17-46 N	BY	1
λ 164-03 E	BY	1

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 254

FUEL CONSUMED 0000–2400: 2734

REMARKS

00-04 Steaming independently enroute from Pearl Harbor Hawaii to Apra Harbor Guam USS Chadron (PC-564) in tow, in accordance with COMSERVPAC Serial DTG 112259Z of May 1963. Base Course 257°T making turns for 12.8 kts. Material Condition "Yoke" (Modified) is set. Condition of readiness II Engineering Condition III and Damage control condition III are set.

Robert M Turner Ens USN

04-08 Underway As before. 0745 Tested Ships whistle, siren and emergency alarms.

T E Horton
Ens USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 31 (Date) MAY (Month) 1963

08-12 UNDERWAY AS BEFORE: Mustered the Crew on Stations. Absentees, None. 0821 Ens. TURNER HAS THE CONN & DECK. 0826 OOD has the Conn & Deck. 1025 Made daily inspection of Magazines and Smokless powder Samples, Temperatures normal. ~~Spr Con~~ Sprinkler System Cutout Valve leaking. Test Unsatisfactory.

J.L. Hollis, CWO-2, USN

12-16 UNDER WAY AS BEFORE. 1300 Sprinkler and Flading System in Magazines tested satisfactorily.

F.A. DeTurner BM1 USN

16-18 Underway as before.

Robert M. Turner Ens USNR

18-20 Underway As Before

F.E. Hanton Ens USN

20-24 UNDERWAY AS BEFORE.

J.L. Hollis. CWO. 2, USN

APPROVED: C. Reed Lt U.S.N. COMMANDING

EXAMINED: R.D. Mason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION -11 DATE SATURDAY (Day) 1 (Date) JUNE (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO APRA HARBOR, GUAM

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO APRA HARBOR, GUAM, USS CHADRON (PC564) IN TOW, IN ACCORDANCE WITH COMSERVPAC SAIL ORD DTG 112254Z OF MAY 1963. BASE COURSE 257°T, MAKING TURNS FOR 12.3 KTS. MATERIAL CONDITION YOKE (MODIFIED) IS SET. CONDITIONS OF READINESS II, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III ARE SET

F.H. DeLorme BM1 USN

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR